





Environmental Products Catalog



QUEST
Brand Products



**Partnering With You to Protect
Your Workers in Any Environment**

- ✓ Customer-Based Solutions
- ✓ 100% Availability*
- ✓ Competitive Pricing*
- ✓ Superior Product
- ✓ Knowledgeable Staff
- ✓ Same Day Shipping**

Phone

800.878.4872 or 317.594.4500

8:00 am to 5:00 pm EST
Monday through Friday

Fax

317.594.4501

Mail

Quest Safety Products, Inc.
1414 S. West Street, Suite 200
Indianapolis, IN 46225

Email

EnviroCSR@questsafety.com

E-Commerce

Set up your own account for B2B shopping
or custom orders by emailing
EnviroCSR@questsafety.com

NEED IT NOW?

Do you have an emergency or an urgent need?

**We offer same-day shipping for in-stock items as long as you call before 4 pm EST.

Quest Safety Products, Inc.
1414 S. West Street Indianapolis, IN 46225
800.878.4872 or 317.594.4500
www.questsafety.com

© Copyright 2010

**Speak with a Quest representative to determine inventory alignment and pricing.

Environmental Products

Table of Contents

Quest® Branded Products	2
Attack!®	3
QPA®	6
Questape®	10
Asbestos	11
Quest® Branded Products	11
Containment Supplies	14
Signs, Labels, and Tape	18
Asbestos Encapsulants	20
Wetting Agents	22
Air Handling, Vacuums, and Containment	23
Instruments and Monitoring	24
Tile Removers and Scrapers	27
Tools	29
Sprayers	30
Absorbents	30
Mold	31
Quest® Branded Products	31
Signs, Labels, and Tape	34
IAQ Products	34
Tools & Equipment	36
Lead	38
Quest® Branded Products	38
Signs, Labels, and Tape	42
Lead Abatement Products	42
Tools	46
Nuclear	47
Quest® Branded Products	47
Signs, Labels, and Tape	54
Tools	55
Nuclear Supplies	55
Nuclear Specific PPE	58
Personal Protective Equipment	60
Quest® Branded Products	60
Protective Suits	61
Respirators	67
Eye Protection	72
Gloves	72
Ear Protection	73
Electrical	77
Estimating	79

EXCEPT AS STATED OTHERWISE HEREIN, QUEST MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND SELLER SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, INCLUDING INCIDENTAL OR CONSEQUENTIAL DAMAGES SUFFERED BY BUYER, ANY EMPLOYEE OF BUYER, ANY END USER OR OTHER THIRD PARTY ARISING FROM BREACH OF ANY SUCH WARRANTY, BREACH OF CONTRACT, NEGLIGENCE OR ANY OTHER LEGAL ACTION.



Quest® Branded Products

Value through Innovation



By listening to customers' needs, Quest® has developed a line of products with superior quality and performance attributes. Quest® branded products have been developed with a familiar goal in mind... exceeding customer expectations.

ATTACK!® Mastic Removers and Chemicals.....Page 3

ATTACK!® Citrus Degreaser..... Page 4

Questik® Spray Glue..... Page 4

Quest® Protective Apparel.....Page 6

Questape®Page 10



Watch for this symbol to see the products we commit to keeping in our warehouse!



ATTACK!® Mastic Removers

A Diverse Product Line for Diverse Applications

ATTACK!® 2000™ No Odor



- Designed for black and tan mastics
- No odor formula for working in occupied areas
- Twice the coverage per gallon of comparable low odor formulas

Coverage: 150-200 sq.ft./gal

SIZE	PART #	
5 GAL.	QU20005	<input checked="" type="checkbox"/>
55 GAL.	QU200055	<input checked="" type="checkbox"/>

ATTACK!® Low Odor



- Designed to dissolve black mastics and adhesives
- Low odor formula
- Fast acting formula

Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	S34055	<input checked="" type="checkbox"/>
55 GAL.	S3450	<input checked="" type="checkbox"/>

S-8336Drum

ATTACK!® Super Soy™



- 100% soybean based formula
- Designed to dissolve black mastics
- Ultra low odor
- Flash point of over 425 °F
- Excellent solution for projects in schools

Coverage: 200-400 sq.ft./gal

SIZE	PART #	
5 GAL.	QUSOY	<input checked="" type="checkbox"/>
55 GAL.	QUSOY55	<input checked="" type="checkbox"/>

ATTACK!® Super Off™



- Designed to dissolve black and tan mastics
- Fast acting, 100% organic formula
- For use in unoccupied areas only

Coverage: 75-150 sq.ft./gal

SIZE	PART #	
5 GAL.	S34515	<input checked="" type="checkbox"/>
55 GAL.	S3451	<input checked="" type="checkbox"/>

ATTACK!® Carpet Adhesive Remover



- Designed to remove latex and acrylic based mastics
- Water based formula
- Works 30% faster than the competition

Coverage: 40-80 sq.ft./gal

SIZE	PART #	
5 GAL.	QUCAR05	<input checked="" type="checkbox"/>
55 GAL.	ULRCAR55	<input checked="" type="checkbox"/>

USDA BioPreferred

The BioPreferredSM program aims to increase the purchase and use of renewable, environmentally friendly biobased products while providing "green" jobs and new markets for farmers, manufacturers, and vendors. BioPreferredSM products help contractors meet these critical environmental goals on government funded jobs, both federal and local.

Quest® Branded Products

ATTACK!® C.A.R.B. Compliant Products

Where "Going Green" and Superior Performance Meet

ATTACK!® Low Odor-V™



- C.A.R.B. Compliant Formulation
 - Complex surfactant system for quick rinsing and easy cleanup
 - Fast Acting
 - Excellent Coverage
- Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	S34055V	<input checked="" type="checkbox"/>
55 GAL.	S3450V	<input checked="" type="checkbox"/>

ATTACK!® 2000-V™



- C.A.R.B. Compliant Formulation
 - No odor for occupied areas
 - High Flashpoint (>204° F)
 - Fast Acting
 - Excellent Coverage
- Coverage: 150-200 sq. ft./gal

SIZE	PART #	
5 GAL.	QU20005V	<input checked="" type="checkbox"/>
55 GAL.	QU200055V	<input checked="" type="checkbox"/>

Questik® Spray Adhesive



- Designed for both temporary and permanent bonding
- Waterproof
- Flexible
- Transparent and non-staining
- No chlorinated solvents or ozone depleters
- Cleans easily with mineral spirits and Attack!® Citrus Degreaser

General Applications:

Leather Cardboard
Plastics Cloth

QTY/CS	PART #	
12/CS	AM315	<input checked="" type="checkbox"/>

ATTACK!® Citrus Degreaser



- C.A.R.B. compliant formula
- Acts fast, saves clean up time, and makes dirty equipment look like new again
- Designed to remove tough materials such as adhesive residue, tar, and grease
- Quickly Dissolves

Applications:

Asphalt Adhesives
Tar Dyes
Grease Tree Sap
Inks Carbon
Oils Wax
Scuff Marks Permanent Markers

QTY/CS	PART #	
12/CS	QUCITRUS	<input checked="" type="checkbox"/>

ATTACK! Paint and Gasket Remover



- Quickly removes paint, lacquer, shellac, enamel and similar materials
- Gel formulation that will not run

General Applications:

Metal Parts Glass Paint Guns Masonry
Plaster Ceramic Paper Cyclinders
Concrete Engine Parts Wood
Tile Valve Seals Stone

QTY/CS	PART #	
12/CS	QU5580/5590	<input checked="" type="checkbox"/>



Kwik Kleen™ Mastic Removers

Kwik Kleen™ No Odor



- No Odor
- High Flashpoint (>200° F)
- Fast Acting
- Excellent Coverage
- Easy Rinsing

Coverage: 150-200 sq. ft./gal

SIZE	PART #	
5 GAL.	KKN05	<input checked="" type="checkbox"/>
55 GAL.	KKN055	<input checked="" type="checkbox"/>

Kwik Kleen™ Low Odor



- Low Odor
- Fast Acting
- Excellent Coverage
- Lower Cost per Square Foot
- Easy Rinsing

Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	KKLOW5	<input checked="" type="checkbox"/>
55 GAL.	KKLOW55	<input checked="" type="checkbox"/>


C.A.R.B. Compliance

refers to the reduction in volatile organic compounds (VOC's) needed to meet stringent California Air Resource Board (C.A.R.B.) requirements. Quest's CARB compliant products provide excellent compliance for air quality regulations.



Watch for this symbol to see the products we commit to keeping in our warehouse!

Q-Gard® Comfortwear®



Q-Gard® Comfortwear garments are designed to be used in dry environments where the main goal is staying clean and comfortable. This garment also has a "real world" design with a unique 4-layer construction holdout. It is a coverall with a hood, boots, and elastic back that is designed with more material in high stress areas to reduce ripping in problem areas. Q-Gard® Comfortwear is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- Unique 4-layer construction for increased comfort and durability
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #
XL	25/CS	01144 <input checked="" type="checkbox"/>
2XL	25/CS	01145 <input checked="" type="checkbox"/>
3XL	25/CS	01146 <input checked="" type="checkbox"/>
4XL	25/CS	01147 <input checked="" type="checkbox"/>
6XL	available with lead time	

* Larger sizes available with minimum order quantity and lead time



Barrierwear®



Barrierwear® garments are designed to be used in light water splash and dry environments where the main goal is staying clean. The “real world” design and unique 2-layer construction of this material allows heat and sweat vapor to escape while maintaining a high level of protection and comfort. The garment style is a coverall with a hood, boots, and elastic back designed with more material in high stress areas to help minimize ripping-out. Barrierwear® is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- 2-layer construction for reduced heat and increased protection
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	25/CS	30143 <input checked="" type="checkbox"/>	4XL	25/CS	30147
XL	25/CS	30144 <input checked="" type="checkbox"/>	5XL	25/CS	30148
2XL	25/CS	30145 <input checked="" type="checkbox"/>	6XL	25/CS	30149
3XL	25/CS	30146 <input checked="" type="checkbox"/>			

* Larger sizes available with minimum order quantity and lead time

Q-Stik® Shoe Covers



- **Anti-slip coating** for better traction in wet and dry environments
- **Water resistant**
- **Strong 2-layer design**

TYPE	COLOR	SIZE	QTY/CS	PART #
Shoe Cover	White	XL	100pr/cs	10204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	XL	100pr/cs	11204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	2XL	100pr/cs	11205 <input checked="" type="checkbox"/>

Q-Gard® Quantumwear®

Q-Gard® Quantumwear® is the newest addition to the QPA™ family of products. Q-Gard® Quantumwear® has been developed to incorporate attributes from our two industry-leading protective garments, Q-Gard® Comfortwear® and Barrierwear®. Through focus groups and interviews with end-users, we have created a patent-pending product that addresses every-day, real life challenges for a number of environments. This product also offers a high level of particle hold out without sacrificing breathability of the garment.

- Elbows and knees reinforced with an additional layer for reduced bleed through contamination
- Two dosimeter/doffing straps on chest for reduced risk of contamination around the neck
- Larger hood with blue flap cover and doffing straps for increased mobility, visibility, comfort, and ease of doffing

Applications:

Nuclear D&D
Asbestos, Lead, and Mold Abatement
General Maintenance

Dusty Environments
Food Processing
Clean Rooms

**Q-Gard® Quantumwear®
Hood & Boot - White**

SIZE	QTY/CS	PART #	
XL	25	01154	✓
2XL	25	01155	✓
3XL	25	01156	✓
4XL	25	01157	✓
5XL	25	01158	✓

**Q-Gard® Quantumwear®
Separate Hood**

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-H	✓

**Q-Gard® Quantumwear®
Separate Boot**

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-B	✓

**Q-Gard® Quantumwear®
No Hood, No Boot - White**

SIZE	QTY/CS	PART #	
XL	25	01164	✓
2XL	25	01165	✓
3XL	25	01166	✓
4XL	25	01167	✓
5XL	25	01168	✓



Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.



Barrierwear® Lab Coat



The Barrierwear® Lab Coat is the newest product in the Quest Protective Apparel® line of products, aimed at helping laboratory personnel reduce the possibility of bleed-through contamination events, offer better splash resistance than launderable coats, and provide a light weight, comfortable, and cool working experience. Through focus groups and interviews with end-users, we have created a product that addresses every-day, real life challenges for a number of laboratory environments. Made from our proven Barrierwear® fabric, this product also offers a high level of splash resistance and particle hold-out that launderables just can't meet.

- Barrierwear® fabric for excellent splash resistance, particularly for sleeves while arms are inside a hood.
- Dosimeter strap
- Two pockets; chest and hip
- Larger cut for comfort and movement.
- Light Weight fabric and Collarless for better comfort
- Inexpensive solution for visitors, temporary workers.

Applications:

Radiological and Environmental Laboratory work Clean Rooms
Field Sampling and Surveys and Walk-downs Food Processing
Visitor dress-out

Barrierwear® Lab Coat - White

SIZE	QTY/CS	PART #
XL	30/CS	QU03034
3XL	30/CS	QU03036
6XL	30/CS	QU03039

Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.

Superior Tapes For Superior Performance

Questape®



- Specifically designed for the Asbestos, Mold and Lead Abatement markets
- Low residue
- Holds longer
- Easily unrolled
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QT2	✓
3" roll	16/CS	QT3	✓

QT Pro™

The Tape The Pro's Use™



- New from the Questape® line of products
- Excellent tensile strength
- Superior adhesion and tack
- Low Residue
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QTPRO2	✓
3" roll	16/CS	QTPRO3	

Faztak™



- Versatile polyethylene coated cloth tape
- Adheres to a wide variety of substrates
- Conforms well to irregular surfaces
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	FAZTAK2	✓
3" roll	16/CS	FAZTAK3	✓



Watch for this symbol to see the products we commit to keeping in our warehouse!



ATTACK!® Mastic Removers

A Diverse Product Line for Diverse Applications

ATTACK!® 2000™ No Odor



- Designed for black and tan mastics
- No odor formula for working in occupied areas
- Twice the coverage per gallon of comparable low odor formulas

Coverage: 150-200 sq.ft./gal

SIZE	PART #	
5 GAL.	QU20005	<input checked="" type="checkbox"/>
55 GAL.	QU200055	<input checked="" type="checkbox"/>

ATTACK!® Low Odor



- Designed to dissolve black mastics and adhesives
- Low odor formula
- Fast acting formula

Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	S34055	<input checked="" type="checkbox"/>
55 GAL.	S3450	<input checked="" type="checkbox"/>

ATTACK!® Super Soy™



- 100% soybean based formula
- Designed to dissolve black mastics
- Ultra low odor
- Flash point of over 425 °F
- Excellent solution for projects in schools

Coverage: 200-400 sq.ft./gal

SIZE	PART #	
5 GAL.	QUSOY	<input checked="" type="checkbox"/>
55 GAL.	QUSOY55	<input checked="" type="checkbox"/>

ATTACK!® Super Off™



- Designed to dissolve black and tan mastics
- Fast acting, 100% organic formula
- For use in unoccupied areas only

Coverage: 75-150 sq.ft./gal

SIZE	PART #	
5 GAL.	S34515	<input checked="" type="checkbox"/>
55 GAL.	S3451	<input checked="" type="checkbox"/>

ATTACK!® Carpet Adhesive Remover



- Designed to remove latex and acrylic based mastics
- Water based formula
- Works 30% faster than the competition

Coverage: 40-80 sq.ft./gal

SIZE	PART #	
5 GAL.	QUCAR05	<input checked="" type="checkbox"/>
55 GAL.	ULRCAR55	<input checked="" type="checkbox"/>

ATTACK!® 2000-V™



- C.A.R.B. Compliant Formulation
- No odor for occupied areas
- High Flashpoint (>204° F)
- Fast Acting
- Excellent Coverage

Coverage: 150-200 sq. ft./gal

SIZE	PART #	
5 GAL.	QU20005V	<input checked="" type="checkbox"/>
55 GAL.	QU200055V	<input checked="" type="checkbox"/>

Asbestos Abatement

ATTACK!® Low Odor-V™



- C.A.R.B. Compliant Formulation
- Complex surfactant system for quick rinsing and easy cleanup
- Fast Acting
- Excellent Coverage

Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	S34055V	<input checked="" type="checkbox"/>
55 GAL.	S3450V	<input checked="" type="checkbox"/>

Questik® Spray Adhesive




- Designed for both temporary and permanent bonding
- Waterproof
- Flexible
- Transparent and non-staining
- No chlorinated solvents or ozone depleters
- Cleans easily with mineral spirits and Attack!® Citrus Degreaser

General Applications:

Leather Cardboard
Plastics Cloth

QTY/CS	PART #	
12/CS	AM315	<input checked="" type="checkbox"/>

ATTACK!® Citrus Degreaser



- C.A.R.B. compliant formula
- Acts fast, saves clean up time, and makes dirty equipment look like new again.
- Designed to remove tough materials such as adhesive residue, tar, and grease.
- Quickly Dissolves

Applications:

Asphalt Adhesives
Tar Dyes
Grease Tree Sap
Inks Carbon
Oils Wax
Scuff Marks Permanent Markers

QTY/CS	PART #	
12/CS	QUCITRUS	<input checked="" type="checkbox"/>

ATTACK! Paint and Gasket Remover



- Quickly removes paint, lacquer, shellac, enamel and similar materials
- Gel formulation that will not run

General Applications:

Metal Parts Glass
Paint Guns Masonry
Plaster Ceramic
Paper Cylinders
Concrete Engine Parts
Wood Valve Seals
Tile Stone

QTY/CS	PART #	
12/CS	AM315	<input checked="" type="checkbox"/>



Questape®



- Specifically designed for the Asbestos, Mold and Lead Abatement markets
- Low residue
- Holds longer
- Easily unrolled
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QT2	✓
3" roll	16/CS	QT3	✓

QT Pro™

The Tape The Pro's Use™



- New from the Questape® line of products
- Excellent tensile strength
- Superior adhesion and tack
- Low Residue
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QTPRO2	✓
3" roll	16/CS	QTPRO3	

Faztak™



- Versatile polyethylene coated cloth tape
- Adheres to a wide variety of substrates
- Conforms well to irregular surfaces
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	FAZTAK2	✓
3" roll	16/CS	FAZTAK3	✓

Polyken® 100D 2" Double-Faced Tape



Double side cloth tape with release liner. All-cotton cloth construction has high quality, high cloth count. Always outperforms paper or film-backed tapes due to superior strength and backing thickness. Heavy

weight, silicone coated, polyethylene film release liner.

QTY/CS PART

12/CS	KP100DWP	✓
-------	----------	---



Watch for this symbol to see the products we commit to keeping in our warehouse!

Polyethylene Sheeting

**Availability:**

- 1.5, 3, 4, 6 and 10mil in clear or black
- 8 x 100
- 10 x 100
- 12 x 100
- 20 x 100

**Specialty sizes also available*

TRUE THICKNESS!

When working with hazardous materials such as asbestos, there's no compromising safety. All Quest polyethylene sheeting meets or exceeds specified mil dimensions.

Polyethylene Sheeting

DIMENSIONS	PART #	
10' x 100' 4mil Clear	PR101004	✓
10' x 100' 4mil Black	PR101004B	
10' x 100' 6mil Clear	PR101006	✓
12' x 100' 6mil Clear	PR121006	✓
12' x 100' 6mil Black	PR121006B	
12' x 100' 1.5mil Clear	PR1210015	
12' x 100' 4mil Clear	PR121004	✓
12' x 100' 4mil Black	PR121004B	✓
20' x 100' 6mil Clear	PR201006	✓
20' x 100' 6mil Black	PR201006B	✓
20' x 100' 4mil Clear	PR201004	✓
20' x 100' 4mil Black	PR201004B	
20' x 100' 10mil Clear	PR2010010	✓
20' x 100' 10mil Black	PR201001B	
20' x 200' 1.5mil Clear	PR202001	✓

Flame Retardant Polyethylene Sheeting

DIMENSIONS	PART #	
10' x 100 6mil Flame Retardant	TM101006F	
12' x 100 6mil Flame Retardant	TM121006F	
12' x 100 4mil Flame Retardant	TM121004F	
20' x 100 6mil Flame Retardant	TM201006F	✓
20' x 100 4mil Flame Retardant	TM201004F	✓



Disposable Bags



SIZE	THICK (MIL)	COLOR		PRINTED		BAGS/ ROLL	PART #	
		BLACK	CLEAR	YES	NO			
30 x 40	4	•		•		100	TM34100	✓
30 x 40	4		•	•		100	TM34C100	
30 x 40	4	•			•	100	TM34U100	✓
30 x 40	4		•		•	100	TM34CU100	
30 x 40	6	•		•		75	TM30406M	✓
30 x 40	6		•	•		75	TM34C756	✓
30 x 40	6		•		•	75	TM3040CU6	
33 x 50	4	•		•		100	TM35100	✓
33 x 50	4		•	•		100	TM35C100	
33 x 50	4	•			•	100	TM35U100	✓
33 x 50	4		•		•	100	TM35CU100	✓
33 x 50	6	•		•		75	TM351006	✓
33 x 50	6		•	•		75	TM35C1006	✓
33 x 50	6	•			•	75	TM35U1006	
33 x 50	6		•		•	75	TM35CU1006	✓
36 x 60	4	•		•		50	TM3660	✓
36 x 60	4		•	•		50	TM3660C	
36 x 60	4	•			•	50	TM3660U	
36 x 60	4		•		•	50	TM36CU50	✓
36 x 60	6	•		•		50	TM36606	✓
36 x 60	6		•	•		50	TM36C606	✓
36 x 60	6		•		•	50	TM36CU506	✓
36 x 60	6	•		•		50	TM36606BX	✓
36 x 60	6	•			•	50	TM36606BU	✓

Miscellaneous Disposables - Towels and Rags

DESCRIPTION	QTY	PART #	DESCRIPTION	QTY	PART #	
Rags	10lb box	IWRAG10	White Reinforced Skrim Towels – 4 ply	300 ea/cs	MW306	✓
Rags	25lb box	IWRAG25	Air Lay White Bath	300 ea/cs	MW266	✓
Rags	50lb Box	IWRAG50	White Reinforced Skrim Towel – 2 Ply	300 ea/cs	MESKRIM2B	✓
			Blue Reinforced Skrim Towel – 2 ply	300 ea/cs	BLSCRIM2	✓

Woven Bags

Great for sharp or heavy objects, floor tile, ceiling grids, roofing material, brick, dirt, metal, and siding.

DESCRIPTION	QUANTITY	PART #	
24 x 40 Woven Poly Bags	1,000 Bags/Bundle (Print)	DB2440WPR	✓
24 x 40 Woven Poly Bags	1,000 Bags/Bundle (No Print)	DB2440WUN	✓

Grayling™**Avail™ Glove Bags Specifications**

The Avail™ glovebag that raised the industry standard for efficiency and ease of use.

MODEL	WORK AREA	PIPE DIA.	MIL	QTY	GLOVE ASSM.	PIPE DES.	COLLARS	ENTRY PORTS	PART #	
4460 EXT	6.3' - 91'	up to 8"	6	25 Chambers	25 sets	horz.	Yes	No	GR4460GR	✓
	6.3' - 73'	up to 8"	10	20 Chambers	20 sets	horz.	Yes	No	GR446010	
5460 EXT	8' - 112'	up to 10"	6	25 Chambers	25 sets	horz.	Yes	Yes	GR5460RGB	✓
	8' - 90'	up to 10"	10	20 Chambers	20 sets	horz.	Yes	Yes	GR546010	
6072 EXT	8.5' - 100'	up to 14"	6	20 Chambers	20 sets	horz.	Yes	Yes	GR6072RGB	✓
	8.5' - 75'	up to 14"	10	15 Chambers	15 sets	horz.	Yes	Yes	GR607210	
6684-2 EXT	9' - 82'	up to 18"	6	15 Chambers	30 sets	horz.	Yes	Yes	GR6684RGB	✓
	9' - 55'	up to 18"	10	10 Chambers	20 sets	horz.	Yes	Yes	GR668410	
4460	2.7'	up to 8"	6	25 per case	1 set	horz.	Yes	No	GR4460GB	✓
	2.7'	up to 8"	10	20 per case	1 set	horz.	Yes	No	GR446010	
5460	3.5'	up to 10"	6	25 per case	1 set	horz.	Yes	Yes	GR5460GB	✓
	3.5'	up to 10"	10	20 per case	1 set	horz.	Yes	Yes	GR546010	
6072	3.5'	up to 14"	6	20 per case	1 set	horz.	Yes	Yes	GR6072GB	✓
	3.5'	up to 14"	10	15 per case	1 set	horz.	Yes	Yes	GR607210	
6084-2	3.5'	up to 18"	6	15 per case	2 sets	horz.	Yes	Yes	GR6684GB	✓
	3.5'	up to 18"	10	10 per case	2 sets	horz.	Yes	Yes	GR668410	
72120-2	3.5'	up to 30"	6	10 per case	2 sets	horz.	Yes	Yes	GR72120GB	✓
	3.5'	up to 30"	10	5 per case	2 sets	horz.	Yes	Yes	GR721202	
V10	3.5'	up to 10"	6	20 per case	1 set	vert.	Yes	Yes	GR4460VGB	
	3.5'	up to 10"	10	20 per case	1 set	vert.	Yes	Yes	GR446010	
V24	3.5'	up to 24"	6	15 per case	2 set	vert.	Yes	Yes	GRV24GB	✓
	3.5'	up to 24"	10	10 per case	2 set	vert.	Yes	Yes	GRV2410	
2230	8'	up to 6"	6	50 per case	right only	horz./vert.	No	No	MR6	✓



QuickTwist Horizontal



The QuickTwist design has two distinct work zones, the removal area and the debris chamber. This two-stage design makes it safer and easier for workers to remove and securely separate debris-laden bags from pipe.

The QuickTwist incorporates a larger work area with a narrower and taller debris chamber so that less bunching is required to twist close the glovebag. The increased work area gives the worker greater freedom inside the glovebag to access difficult pipe insulation. Each debris chamber is tall enough to handle intact sections of pipe insulation, less breakage of debris means lower fiber counts.

DESCRIPTION	PART #
10" Pipe Enclosure	GRQT10
14" Pipe Enclosure	GRQT14
18" Pipe Enclosure	GRQT18
30" Pipe Enclosure	GRQT30

QuickTwist Vertical



Avail vertical models solve worker productivity problems by offering features which assist in the removal process. Debris weight and bulk is channeled away from the work area by the offset debris chamber.

Awkward twisting and turning of the bag is eliminated due to the work area separation from the debris area. Installation is quick and simple with fitted collars and pre-cut bag opening. It is the right product for the job.

DESCRIPTION	PART #
12" Pipe Enclosure	GRV12GB
24" Pipe Enclosure	GRV24GB

Therma Guard® Heat resistant bags are available upon request



Watch for this symbol to see the products we commit to keeping in our warehouse!

Asbestos Abatement



Premium Fiberglass Sign

SIZE	QTY/PK	PART#
20" H X 14" W	EACH	39658



High Performance Polyester Sign

SIZE	QTY/PK	PART#
3.5" H X 5" W	EACH	85451



Premium Fiberglass Sign

SIZE	QTY/PK	PART#
10" H X 7" W	EACH	45015



Polyester Plastic Sign

SIZE	QTY/PK	PART#
20" H X 12" W	EACH	92288



Lightweight Corrugated Plastic Sign

SIZE	QTY/PK	PART#
18" H X 24" W	EACH	78055



Premium Fiberglass Sign

SIZE	QTY/PK	PART#
20" H X 14" W	EACH	74520





Signs

DESCRIPTION	QUANTITY	PART #	
Danger Asbestos Sign 11 x 17 Paper	100/pk	NMD95	<input checked="" type="checkbox"/>
Danger Asbestos Sign 10 x 14 Paper	100/pk	NM1014DAS	
Danger Asbestos Sign (Spanish)	100/pk	NMD395	

Labels

DESCRIPTION	QUANTITY	PART #	
Danger Asbestos Label	500/rl	NMPRD82	<input checked="" type="checkbox"/>
Danger Asbestos Generator Labels	500/rl	NMPRD92	
Danger Asbestos/ # 9 DOT / Generator-Combination Labels	500/rl	E465DRQ	<input checked="" type="checkbox"/>
RQ Asbestos DOT Labels	500/rl	LLRQDOT47	
Asbestos Free Labels – Blue	25/pk	HAAHL12	

Barrier Tape



DESCRIPTION	SIZE	COLOR	PART #	
Danger Asbestos Barrier Tape	3" x 1000'	Black on Red	NMPT31	<input checked="" type="checkbox"/>
Caution Barrier Tape	3" x 1000'	Black on Yellow	BT5	<input checked="" type="checkbox"/>
Danger Barrier Tape	3" x 1000'	Black on Red	BT49	<input checked="" type="checkbox"/>
Danger Do Not Enter Barrier Tape	3" x 1000'	Black on Red	BT50	<input checked="" type="checkbox"/>

Asbestos Abatement

A-B-C® Asbestos Binding Compound



A-B-C® Asbestos Binding Compound is the world's most successful encapsulation solution. This highly effective, industry-standard, high-solids encapsulant meets

Environmental Protection Agency guidelines. It's ideal for sealing in asbestos-containing material, as laboratory tests have shown.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	50 – 100 sq.ft./gal

COLOR

PART

WHITE

FI6421

CLEAR

FIABC5C



A-B-C® Fiberspray



A-B-C® FiberSpray is a convenient means for applying Fiberlock Technologies' time proven A-B-C® Asbestos Binding Compound asbestos encapsulant. A-B-C

FiberSpray dispenses encapsulant from a unique 7 ounce "airless-spray" can. This CFC-free "airless-spray" technology minimizes asbestos fiber release, and permits application of encapsulant in any position, even upside down (rendering it ideal for use inside glove bags).

PART

FI6410C

Fiberset® PM



Fiberset® PM forms a durable barrier that's UL classified. Its quality formulation ensures ease of spray ability and resists dripping or over spray. Its superior resins bond

respray fireproofing securely to decks or beams, and above all, Fiberset® PM locks leftover fibers down tight.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	500 sq.ft./gal

COLOR

PART

WHITE

FI7470

BLUE

FIPMBLU5

CLEAR

FIPM5C



Watch for this symbol to see the products we commit to keeping in our warehouse!



Lag-Kwik®



Lag-Kwik® repair cloth is the second step in the Lag-Kit® System. Each 4-inch-wide Lag-Kwik® roll is impregnated with a special inorganic adhesive. Just cut the fabric to length, dip it in

water to activate the adhesive, and wrap it around the pipe. Lag-Kwik® forms a flexible barrier that enhances insulation integrity. After wrapping the insulation, apply Lag-Kote® or Lag-Kote® II to complete the system

Size	Qty
4" x 150'	3 rolls/pail

PART # FI6427C ☒

Lag-Kloth®



Lag-Kloth® uses the identical material as Lag-Kwik® - a fabric incorporating water activated adhesive that forms a flexible barrier. But Lag-Kloth® is sized differently. Lag-Kwik® is made in 4-inch rolls, while Lag-Kloth® comes in two sizes: 5" x 150' rolls or 5" x

15' blankets. This sizing makes Lag-Kloth® especially suitable for larger applications, such as covering an asbestos-insulated boiler. After wrapping the insulation, apply Lag-Kote® or Lag-Kote® II as the final step in the system.

DESCRIPTION	QTY	PART #	
5" X 150' ROLL	EACH	FI6426C	<input checked="" type="checkbox"/>
5' X 15' BLANKET	EACH	FI6425	

Lag-Kote®



Lag-Kote® is a 100% acrylic, high-solids encasement/encapsulation coating, specifically formulated for application over a variety of asbestos containing materials. Tested and

EPA accepted at Battelle Laboratories of Columbus, Ohio, under EPA Contract #68-03-2552-T2005, Lag-Kote® was found to be an acceptable encapsulant.

COVERAGES		
Size	Qty	Coverage
5 Gal. Pail	EACH	Brush: 125 – 175 sq.ft./gal
		Airless Spray: 600 sq.ft./gal

PART # FI6424C

Lag-Kote® II



Lag-Kote® II is a bright white bridging encapsulant that is high in solids which provides maximum protection over asbestos containing materials (ACM). Select Lag-Kote® II to encapsulate thermal insulation

that will not be exposed to rust and/or sunlight.

COVERAGES		
Size	Qty	Coverage
5 Gal. Pail	EACH	Brush: 125 – 175sq.ft./gal
		Airless Spray: 600 sq.ft./gal

PART # FI6420C ☒



Watch for this symbol to see the products we commit to keeping in our warehouse!

Penewet



Surface active wetting agent for rapid wetting of asbestos containing materials and other particulate matter. The product breaks down the surface tension of water

allowing it to penetrate the toughest sprayed, troweled or cementitious asbestos material. Its chemical bonding process surrounds the asbestos fiber and weighs it down preventing the fiber from becoming airborne. Penewet Wetting Agent significantly slows the evaporation rate of water so the waste material stays wet longer. The product does not harden, crust or leave residual matter after removal. Concentrated formula dilutes 3:1 with water. Non -toxic, environmentally safe and non-combustible.

SIZE	PART #
5 GAL	FI6450



Watch for this symbol to see the products we commit to keeping in our warehouse!



Novair 2100



- Powerful 2 Horse Power motor generates exceptional, consistent flow rate and utilizes all filter media area.
- 2 Speed motor - provides consistent air flow of 2000cfm

(high speed) and 1000cfm (low speed)

- 8 point motor / cage mounting prevents motor and cage shifting even under the harshest condition

QTY/CS	PART #
1/CS	F2100 <input checked="" type="checkbox"/>

DCON® 3



Grayling's D-Con® is a low-cost, durable and disposable decontamination solution for abatement projects.

D-Con® eliminates the hassle of constructing a decontamination facility on small, short duration projects. The D-Con® sets up quickly and easily reducing your labor costs. It is the first all poly constructed unit, which means it can withstand the daily rigors of abatement projects without losing any structural integrity. All D-Con® units are made from two layers of 6-mil poly and have triple-flap ingress/egress doorways.

The D-Con® is available in six different configurations, from the basic 3-stage unit to an extra large 3-stage unit, a 2-chamber clean room and equipment room unit for use with pop-up style metal showers. Each 3-stage configuration is also available in fire retardant polyethylene construction. Poles, drain water pick-ups and shower nozzle hardware are reusable and available separately.

All D-Con® units meet OSHA and EPA guidelines for decontamination facilities.

DESCRIPTION	PART #
DCON 3	1001005 <input checked="" type="checkbox"/>
POLE SET	AR1400 <input checked="" type="checkbox"/>

GD 930 Canister Vacuum w/ Tool Kit



Superior design makes the Euroclean® GD 930 professional vacuum cleaners for removal of dust and dirt easier to handle, more efficient performers. They're meant for big jobs with a 4 gal. (15

l.) capacity dust bag, 2,880 sq. in. (1.9 sq. m.) filter and 1.125 HP motor for high power suction. Light weight (only 17.5 lbs. [7.9 kg.]) with convenient carrying handle plus two large wheels and one swivel caster on the base make these units easily portable and minimize operator fatigue. Air flow passes through the filter before entering the electric motor, ensuring a clean motor. Euroclean's unique HEPA-Filtered Particle Reclamation System (HPRS) combines a HEPA-filtered canister vacuum, an interceptor head, and a 55 gallon drum container, (not included) giving this system the suction power for high capacity carbon dust and waste removal. Designed specifically for cartridge remanufacturers.

DESCRIPTION	QTY/CS	PART #
GD930 VACUUM	EACH	ECUZ930 <input checked="" type="checkbox"/>
HEPA FILTER	EACH	ECUZ930FI <input checked="" type="checkbox"/>
VACUUM BAGS	10/CS	ECUZ930BG <input checked="" type="checkbox"/>
BEATER BAR	EACH	M70032

Dispos-a-con 9000



This industry standard decontamination system meets both OSHA and EPA guidelines. Its rugged design makes for easy assembly in roughly 15 minutes and includes hardware that can be reused.

Room Dimensions: 30" x 36" x 31"

3 Room Decon: Shower room, clean room and dirty room

DESCRIPTION	PART #
DISPOS-A-CON 9000	AR900WH <input checked="" type="checkbox"/>
POLE SET FOR DECON® 9000 SHOWER	AR1400 <input checked="" type="checkbox"/>

Portable Shower



The ORIGINAL COLLAPSIBLE telescoping decontamination shower is easily set up by two men in a matter of seconds.

FEATURES:

MADE IN U.S.A.

Lightweight aluminum construction
100 Micron drain filter
Removable curtain
Two (2) Handles for E-Z Handling

Two Stage Pump

FEATURES:

MADE IN U.S.A.

Enclosed aluminum container
Galvanized plumbing
5 Micron and 50 Micron filtration
12 Gallons per minute
Weight: 36 lbs.
1/2 H.P. Motor

DESCRIPTION	PART #
PORTABLE SHOWER	AS9105
TWO STAGE PUMP	AS9115

BDX II Pump Kits



If it were any tougher, it would probably beat you up and steal your lunch money.

DESCRIPTION	PART #
BDX II Pump Kit (with 120V Charger, Tool Kit, Tubing, Clip, & Manual)	SSBDX2 <input checked="" type="checkbox"/>

Micro-Max® XP



The Micro Max XP has been designed as a long life, low cost, but powerful high volume air sampling pump. Its double diaphragms provide a smooth air flow at over 20 LPM for a

PCM cassette and 10.5 LPM with a TEM cassette. Will also provide up to 40 LPM for mold sampling with an Impactor or Air-O-Cell cassette.

Specifications:

- Air flow Range: 0-31 liters per minute (0-1.95 cubic feet/minute)
 - recommended range 5-15 liters per minute
- Filter Cassettes: 25 mm or 37 mm
 - recommended non-static type
- Power Requirements: Standard 115 VAC, 60 Hz, 1 phase, .35 amps

Note: Initial current on start up can be up to 5 times higher
- Pump Life: 35,000
- Rotometer Accuracy: +/- 5%

PART #	MT53001HP
--------	-----------

AirOne® Personal Pump



- Thick, impact resistant case with integral belt clip
- Electronic motor speed control for accurate flow adjustment
- Field repairable
- 12 month limited warranty
- Battery charger, screw driver for flow adjustment, and flexible tubing with collar clip included

PART #	ABT1004 <input checked="" type="checkbox"/>
--------	---



PCM 25mm Air Sampling Cassettes



- Quality 0.8um MCE Filter Material
- 2" Static Conductive Extension Cowl
- Meets NIOSH 7400 specifications
- Preloaded - ready to use

QTY/CS

PART #

50/CS

NUPCMCAS ☒

25mm TEM Cassettes



- 2" Static Conductive Extension Cowl
- Meets NIOSH specifications
- Preloaded - ready to use

QTY/CS

PART #

50/CS

AMTEMCAS

Tri/Mon[®] Manometer



Designed as a digital recording manometer for carefully tracking and displaying differential pressure information, the TRI/MON[®] is durable, lightweight and simple to operate. Turn it on, load the paper and go to work. It is as simple as that. Many more features to serve many different applications in environmental sites, clean rooms, laboratories and hospitals.

Features:

- Rugged 1/8" thick aluminum case
- Full width aluminum carrying handle, also doubles as tilt leg
- Brackets to hold power cord
- Uses plain paper
- Large bright red digital display
- Simple keypad selected functions
- Self calibrates on each start-up
- Available with circular chart recorder, remote alarm, or digital data download capability
- "Smart" button for easy reset to factory operating parameters
- Special indicators to hi-lite systems functions
- Keypad lock to prevent tampering
- Stores 7 days of data in memory
- Operating temperature range 32' - 120°F
- Simple start-up. Just turn on and load paper
- No separate or loose parts to lose
- One year full parts and labor warranty

PART #

MT510006



Mark II Molded Plastic Manometers

3% Accuracy For Stationary And Portable Applications At Minimum Cost



Fig. 13-1, Mark II Model No. 25 inclined-vertical manometer. (shown with optional A-612 portable stand)

Dwyer[®] Mark II series molded manometers are of the inclined and inclined-vertical types. The curved inclined-vertical tube of the Model 25 gage provides higher ranges with more easily read increments at low readings. The Model 25 is excellent for general purpose work. The Model 40 inclined gage provides linear calibration and excellent resolution throughout its range. The Model 40 is ideally suited for air velocity and air filter gage applications. Both gage types are capable of pressure measurements above and below atmospheric as well as differential pressure measurements.

Construction — Mark II manometers are economically priced, compact and available in both stationary and portable configurations. Portable stand is standard on Model 40, available as optional A-612 stand for Model 25. Construction is simple with virtually indestructible molded white styrene-acrylonitrile housing, indicating tube and fluid wells, molded ABS knobs and zero adjust plunger, shock mounted glass level vial and leak proof "O" ring seals. Moderate overpressures are accommodated by an overflow tank incorporated in the Model 25. Greater protection is provided by float operated overflow traps in the Model 40. Scales are lithograph printed on aluminum and epoxy coated.

Installation — Mark II manometers can be mounted on any vertical surface with the two mounting screws provided. A built-in spirit level simplifies leveling before mounting screws are tightened. Simply fill the reservoir, adjust fluid level to zero, connect the tubing, and the gage is ready for operation.

Accessories — Included with each Mark II manometer are two tubing connectors for 1/4" pipe or sheet metal ducts, two mounting screws, 3/4 ounce bottle of indicating fluid, red and green pointer flags and complete instructions.

The Model 25 also includes 8 feet of flexible double column plastic tubing. Portable operation of the Model 25 is made possible by the use of the optional A-612 portable stand. A short piece of tubing can be slipped over the Model 25 pressure connections to contain the gage oil in transit.

The Model 40 contains two 4 1/2 foot lengths of clear plastic tubing, a plastic swing-out stand and leveling screw for portable operation. It also features convenient rapid shutoff pressure connections and integral overpressure safety traps.

OEM Specials — All Dwyer[®] Mark II molded plastic manometers can be supplied in OEM quantities with your name or special graphics and scales.

PART #

DWMRKII25



Protecting Workers in Any Environment
www.questsafety.com (800) 878-4872



= Committed Stock Items



Hybrid Bronco®



The new Hybrid Bronco can operate for 4 to 6 hours on a fully charged battery. Or you can run the

Hybrid Bronco as a cord-powered machine on readily available 110V current. And, for virtually continuous operation, the Hybrid Bronco will strip non-stop when combining cord power with a fully charged battery.

Choose your method of operation...

- Battery operated
- 110V Cord-Powered
- Battery plus Cord Power

MODEL	PART #
PROPANE	TA260P
BATTERY	TA260B

Duro Stripper™



120 volt - 2000 watt - 17 amps - 26 lbs. The most powerful manually operated floor stripper on the market. Unmatched in durable design, the Duro Stripper can tackle the most difficult jobs. This unit can remove all types of floor coverings from wood or concrete surfaces.

Remove the handle and use by hand for more precise work around porcelain, cabinetry, stairs, etc.

Features

Stand up or hand held operation, exclusive foot operated on/off switch, spring loaded travel wheels, oscillating blade action with 8,500 oscillating strokes per minute. Comes with carrying case, 2 blades, eye protection and tools.

PART # SI104954A

Novastrip® N1026



The Novastrip N1026 VAT strippers utilize "Infrared radiant heat" to safely heat tiles, thus breaking the adhesive bond. This allows you to lift "Intact" tiles in a dustless environment. In the past, wetting and hand scraping was the most common method of removal. This process has proven to be labor intensive and generates a great deal of cleanup. Since water is not required with the Novastrip®, the

job is completed with an absolute minimum volume of waste. These machines also cut labor costs by requiring only one operator. Simply place the machine over your tiles to be removed, set the timer and allow it to complete it's cycle. Move the machine to the next set of tiles, then easily remove the previously heated tiles. Novastrip N1026 Heat Machine, 88Lbs, 46", 9"x9" =12, 12" x 12" = 6, 220/240 volt, 50Amp, 1Phase

- Reduces setup, clean up, and labor costs.
- Heated tiles can be lifted "intact" preventing the harmful release of dust or hazardous material.
- Removes up to six 12" x 12" tiles at a time!
- Massive 28" x 40" footprint!
- Rapid heat-up and cool down for efficient operation.
- All solid state electronics assure precision and reliability.
- Modular design, fully assembles and disassembles in less than 5 minutes for easy transport. These can even ship via UPS!
- Individual ceramic emitter strips on heat element are fully replaceable. No need to replace entire heat panel.
- All components are UL and CE listed and are covered by a one year warranty.

PART # N1026

Turbo® II Stripper #10-4806

120 volt, 2400 watt, 20 amps, 350 lbs. With a new look, the Turbo II continues to command the flooring removal of most jobsite applications. The exclusive hand-operated clutch, transport wheels and removable handle & weight

systems make the Turbo II easy to maneuver.

DESCRIPTION	QTY/CS	PART #
TURBO STRIPPER	EACH	SI104806
14" CERAMIC BLADE	EACH	SI104807

Trelawny® Long Reach Scalers

Long Reach Scalers are specifically designed to reduce the risk of back injury and to extend their use into previously inaccessible areas. Available in 2ft, 4ft, 5ft and 6ft lengths. The Long

Reach 'LITE' scalers are lighter in weight than standard Long Reach Scalers while offering the same power.

A vast range of applications include the removal of floor tiles, residue, chemical spillages, ice, roofing materials, metal slag and tank cleaning. These tools are ideal for a variety of uses from construction and marine to general factory maintenance and flooring services.

ITEM	PART #
2FT. SCALER	136.3299
4FT. SCALER	136.3499
5FT. SCALER	136.3597
6FT. SCALER	136.3699

BigFoot® Tile Remover**OPERATION:**

One large 28" X 45" Heating Panel heats up and breaks down mastic under floor tiles enabling the tiles to be scraped up without breakage.

PROGRESS:

Depends on the type of surface underneath and condition and age of the tile and mastic. Cement: 50 seconds, Wood: 35 seconds

VOLTAGE:

Unit requires 240 volts and 60 amps.

DESCRIPTION	QTY/CS	PART #
TILE REMOVER	EACH	AE9158
BUCK BOOSTER	EACH	AE915825

* Bigfoot® is a registered trademark of Aerospace

Scaler Accessory Kit

Complete with a rugged carrying box and includes:

1", 2", and 4" steel chisels
Needle scaler attachment
4" flex blade
8" scraper/blade
12" scraper blade

PART #	TR4153510
--------	-----------



Watch for this symbol to see the products we commit to keeping in our warehouse!



HAND TOOLS

PART #		DESCRIPTION
OL52020S		SHOE HANDLE WIRE BRUSH
OL52010S	<input checked="" type="checkbox"/>	LONG HANDLE WIRE BRUSH
ROPLASBR1	<input checked="" type="checkbox"/>	PLASTIC HANDLE WIRE TOOTH BRUSH
OL39103		TIN SNIPS - STRAIGHT CUT
OL39101		TIN SNIPS - RIGHT CUT
EM15	<input checked="" type="checkbox"/>	3" BENT BLADE SCRAPER
EM27	<input checked="" type="checkbox"/>	3" STIFF SCRAPER (BURN-OFF SCRAPER)
AR332201		1 - 1/2" PUTTY KNIFE
EM440		WALL STRIPPER - 4" RAZOR
EM444		REPLACEMENT BLADES FOR WALL SCRAPER
RO51TOOL	<input checked="" type="checkbox"/>	5 IN 1 TOOL
PRSG197		SAFETY GRIP UTILITY KNIFE
AR551199		UTILITY KNIFE WITH SAFETY LIP
61-0476	<input checked="" type="checkbox"/>	HEAVY DUTY UTILITY KNIFE
SN-195	<input checked="" type="checkbox"/>	STANDARD UTILITY KNIFE
AR1992	<input checked="" type="checkbox"/>	REPLACEMENT BLADES 100/PK




STAPLER & STAPLES

JEP22	<input checked="" type="checkbox"/>	STAPLER (PLIER STAPLER)
JET50		ARROW® 1/2" STAPLES
SCP-22		ARROW® 1/4" STAPLES
SCT-50		ARROW® 3/8" STAPLES


MASTIC REMOVING TOOLS

ENFTSH10D	<input checked="" type="checkbox"/>	D-HANDLE TILE SCRAPER
ENFTSH-10		STRAIGHT HANDLE TILE SCRAPER
ENFTSB-35	<input checked="" type="checkbox"/>	3.5" TILE SCRAPER BLADE
ENFTSB-5		6" TILE SCRAPER BLADE
CR375	<input checked="" type="checkbox"/>	TELESCOPING RAZOR SCRAPER - 8"
CR377	<input checked="" type="checkbox"/>	8" REPLACEMENT BLADES - 10/TUBE
SI4907T	<input checked="" type="checkbox"/>	8" TILE SCRAPER BLADE FOR DURO STRIPPER



MISC.

LBI224C	<input checked="" type="checkbox"/>	24 OZ. MOP HEAD
LBI220C	<input checked="" type="checkbox"/>	20 OZ. MOP HEAD
LBI216C	<input checked="" type="checkbox"/>	16 OZ. MOP HEAD
MOPHAND1		MOP HANDLE
LA7580YEL		MOP BUCKET / RINGER COMBO
WH8356		22" RUBBER HEAD SQUEEGEE
WH22218		18" RUBBER HEAD SQUEEGEE
HP37709		24" FOAM SQUEEGEE HEAD
SI117660	<input checked="" type="checkbox"/>	TAPERED SQUEEGEE HANDLE
FL6922R	<input checked="" type="checkbox"/>	22" NEOPRENE SQUEEGEE
WH8375	<input checked="" type="checkbox"/>	30" FOAM SQUEEGEE
HOBPB18		18" PUSHBROOM HEAD
HOHNDL60	<input checked="" type="checkbox"/>	60" PUSHBROOM HANDLE (THREADED)
MA96	<input checked="" type="checkbox"/>	GREEN SCRUB PADS 60/CS
RPMP4200	<input checked="" type="checkbox"/>	HEAVY DUTY BROWN SCRUB PADS 20/CS
MA4166	<input checked="" type="checkbox"/>	9104 RAZOR BACK BLACK SCRUB PADS 20/CS
ROSPONGE6		SPONGE 48/CS
CE5905		500 WATT HALOGEN BULBS



**Chapin® SureSpray Sprayer -
Deluxe Sprayer****PART #**

CH2603

**Envirosorb®**


Envirosorb can be spread under and around machinery, or anywhere spills or leaks occur. When saturated, simply collect the material, which has excellent fuel blending capabilities and incinerates with little ash.

PART #

TWENSORB1



Q-Gard® Comfortwear®



Q-Gard® Comfortwear garments are designed to be used in dry environments where the main goal is staying clean and comfortable. This garment also has a “real world” design with a unique 4-layer construction holdout. It is a coverall with a hood, boots, and elastic back that is designed with more material in high stress areas to reduce ripping in problem areas. Q-Gard® Comfortwear is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- Unique 4-layer construction for increased comfort and durability
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #
XL	25/CS	01144 <input checked="" type="checkbox"/>
2XL	25/CS	01145 <input checked="" type="checkbox"/>
3XL	25/CS	01146 <input checked="" type="checkbox"/>
4XL	25/CS	01147 <input checked="" type="checkbox"/>
6XL	available with lead time	

* Larger sizes available with minimum order quantity and lead time

Barrierwear®

Barrierwear® garments are designed to be used in light water splash and dry environments where the main goal is staying clean. The “real world” design and unique 2-layer construction of this material allows heat and sweat vapor to escape while maintaining a high level of protection and comfort. The garment style is a coverall with a hood, boots, and elastic back designed with more material in high stress areas to help minimize ripping-out. Barrierwear® is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- 2-layer construction for reduced heat and increased protection
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	25/CS	30143 <input checked="" type="checkbox"/>	4XL	25/CS	30147
XL	25/CS	30144 <input checked="" type="checkbox"/>	5XL	25/CS	30148
2XL	25/CS	30145 <input checked="" type="checkbox"/>	6XL	25/CS	30149
3XL	25/CS	30146 <input checked="" type="checkbox"/>			

* Larger sizes available with minimum order quantity and lead time

Q-Stik® Shoe Covers

- **Anti-slip coating** for better traction in wet and dry environments
- **Water resistant**
- **Strong 2-layer design**

TYPE	COLOR	SIZE	QTY/CS	PART #
Shoe Cover	White	XL	100pr/cs	10204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	XL	100pr/cs	11204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	2XL	100pr/cs	11205 <input checked="" type="checkbox"/>



Q-Gard® Quantumwear®



Q-Gard® Quantumwear® is the newest addition to the QPA™ family of products. Q-Gard® Quantumwear® has been developed to incorporate attributes from our two industry-leading protective garments, Q-Gard® Comfortwear® and Barrierwear®. Through focus groups and interviews with end-users, we have created a patent-pending product that addresses every-day, real life challenges for a number of environments. This product also offers a high level of particle hold out without sacrificing breathability of the garment.

- Elbows and knees reinforced with an additional layer for reduced bleed through contamination
- Two dosimeter/doffing straps on chest for reduced risk of contamination around the neck
- Larger hood with blue flap cover and doffing straps for increased mobility, visibility, comfort, and ease of doffing



Applications:

Nuclear D&D
Asbestos, Lead, and Mold Abatement
General Maintenance

Dusty Environments
Food Processing
Clean Rooms

Q-Gard® Quantumwear® Hood & Boot - White

SIZE	QTY/CS	PART #	
XL	25	01154	✓
2XL	25	01155	✓
3XL	25	01156	✓
4XL	25	01157	✓
5XL	25	01158	✓

Q-Gard® Quantumwear® Separate Hood

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-H	✓

Q-Gard® Quantumwear® Separate Boot

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-B	✓



Q-Gard® Quantumwear® No Hood, No Boot - White

SIZE	QTY/CS	PART #	
XL	25	01164	✓
2XL	25	01165	✓
3XL	25	01166	✓
4XL	25	01167	✓
5XL	25	01168	✓



Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.

DANGER MOLD Sign - 11" x 17"

PART # NMMLD

IAQ® 2500

Fiberlock IAQ® 2500 is specifically designed as a general non-acid cleaner, fungicide and disinfectant for use in residential and commercial facilities. It is formulated as a disinfectant for hard, non-porous,

inanimate environmental surfaces. Fiberlock IAQ® 2500 is a pre-mixed, ready to use formula that can be applied straight from the container. Fiberlock IAQ® 2500 is an EPA-registered product.

COVERAGES		
Size	Qty	Coverage
5 Gal. Pail	EACH	dependent upon method of application and surface

PART # FI8325

IAQ® 2000

Fiberlock IAQ® 2000 is a phosphate-free, quaternary ammonium chloride formulation designed for use in a diverse assortment of buildings, both residential and commercial. Fiberlock IAQ® 2000 is a concentrated formula

that will disinfect hard, nonporous inanimate environmental surfaces. Use IAQ® 2000 to clean and disinfect mold-contaminated surfaces as part of all mold-remediation projects. Fiberlock IAQ® 2000 is an EPA-registered product.

COVERAGES		
Size	Qty	Coverage
1 Gal.	4/case	dependent upon method of application and surface

PART # FI8320

ShockWave®

ShockWave® is an EPA-registered, quaternary ammonium chloride cleaner, disinfectant and sanitizer designed for use on various surfaces subject to microbial contamination.

ShockWave® is a concentrated formula that will disinfect hard, nonporous surfaces, and also sanitizes porous and semi-porous surfaces. ShockWave® is especially useful as an all-in-one product for treating wood structural members, carpets, and other porous and nonporous surfaces as part of a complete mold remediation project. *Makes 5 gallons.

COVERAGES		
Size	Qty	Coverage
1 gal.	4/case	dependent upon method of application and surface

DESCRIPTION	SIZE	PART #
CONCENTRATE	1 GAL	FI8310
READY-TO-USE	1 GAL	FI8316
READY-TO-USE	5 GAL	FI83165



Foster® 40-80™ Disinfectant



Foster® 40-80™ Disinfectant is an EPA Registered formulation, a full strength disinfectant, and comes in a convenient ready-to-use dilution. Foster 40-80 has been evaluated in the presence of 6% serum by the AOCA Use-Dilution test

and found to be effective against broad spectrum of gram-negative and gram-positive organisms.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	dependent upon method of application and surface

PART # F4080

IAQ® 6100



Fiberlock IAQ 6100 is a high-build, moldresistant coating designed to help prevent mold growth from occurring in new building construction. Fiberlock IAQ 6100 is designed for use on building materials including gypsum

wallboard, oriented strand board (OSB), wood framing timbers, plywood, and any other surface where a flexible, highbuild mold-resistant coating is necessary.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	Smooth Surfaces 200-400 sq.ft./gal Porous Surfaces 150-300 sq.ft./gal

PART # FI3862

IAQ® 6000



Fiberlock IAQ® 6000 is an extremely durable coating developed to withstand moist, humid conditions that provide the ideal environment for fungal growth. This easy to apply, 100% acrylic coating offers the ultimate in

durability in combination with excellent mold resistance. Fiberlock IAQ® 6000 contains an EPA-registered, broad-spectrum fungicide to prevent the growth of mold on the surface of the cured film. Plus, its smooth finish minimizes dirt buildup that provides nutrients for mold growth.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	Smooth Surfaces 200-400 sq.ft./gal Porous Surfaces 150-300 sq.ft./gal

COLOR

PART

WHITE	FI8360
CLEAR	FI8361
BLACK	FI8365

AfterShock



AfterShock is the only EPA-registered fungicidal coating designed to kill residual mold growth after pre-cleaning contaminated surfaces. AfterShock is a durable, 100% acrylic white coating that can be applied to common building

materials including wood, OSB, drywall, concrete, and metal surfaces.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	Smooth Surfaces: 250-400 sq.ft./gal Porous Surfaces: 150-300 sq.ft./gal Spray: 50% of above

SIZE

PART

5 GAL	FI8390
-------	--------

Foster® 40-20™ Fungicidal Protective Coating



Foster® 40-20™ Fungicidal Protective Coating is an EPA registered product and is the industry's leading antimicrobial coating with a 10 year warranty. It is formulated to effectively prevent the spread of mold and odor causing bacteria on its surface in areas, such as walls, ceilings, pipes, interior and exterior surfaces of HVAC duct systems.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	50 - 80 sq.ft./gal

PART # F40205

Phoenix® Centrifugal Air Mover



The most airflow for the fewest amps of any centrifugal

Low amp draw, balanced airflow characteristics and maximum velocities of over 2950 FPM are the foundation on which the new

Phoenix® Centrifugal Air Mover is built.

Features

- 3-Speed 1/3 Horsepower Motor
- 3.9 Amps on High Speed
- 2.6 Amps on Low Speed
- Maximum Velocities Over 2950 FPM
- Best Balanced Airflow Across Exhaust
- 20 Foot Cord
- Directional Airflow Horizontal, 45° Angle, 90° Angle
- Stackable

QTY/CS	PART #
EACH	TS4025825

Standard Blower



Excellent for most ventilating needs, especially confined space. Designed with tough polyethylene housing, metal safeguards and a steel fan for durability. Two 8" ports offer positive ventilation or

fume extraction, and the metal base with feet offers greater stability. The electric motor is cage-enclosed for protection. Comes with an on/off switch and built-in carry handle for increased portability. Works great with generators. Air delivery certified CEESI.

Free Air	One 90° Bend	Two 90° Bends
1066	839	745
38 lbs.	1/3 hp	6A /115V/.25KW

QTY/CS	PART #
EACH	AL9515

3M™ Mold Remediation Kit



Includes a 3M™ Full Facepiece 6000 and two pairs of 3M™ Particulate Filters 2097, P100, to help reduce exposure to mold and low level organic compounds produced by mold.

SIZE	PART #
M	68097
L	69097

Huck Towels




Blue huck towels for mold abatement

PART # IWC92525




HAND TOOLS

PART #		DESCRIPTION
OL52020S		SHOE HANDLE WIRE BRUSH
OL52010S	✓	LONG HANDLE WIRE BRUSH
ROPLASBR1	✓	PLASTIC HANDLE WIRE TOOTH BRUSH
OL39103		TIN SNIPS - STRAIGHT CUT
OL39101		TIN SNIPS - RIGHT CUT
EM15	✓	3" BENT BLADE SCRAPER
EM27	✓	3" STIFF SCRAPER (BURN-OFF SCRAPER)
AR332201		1 - 1/2" PUTTY KNIFE
EM440		WALL STRIPPER - 4" RAZOR
EM444		REPLACEMENT BLADES FOR WALL SCRAPER
RO51TOOL	✓	5 IN 1 TOOL
PRSG197		SAFETY GRIP UTILITY KNIFE
AR551199		UTILITY KNIFE WITH SAFETY LIP
61-0476	✓	HEAVY DUTY UTILITY KNIFE
SN-195	✓	STANDARD UTILITY KNIFE
AR1992	✓	REPLACEMENT BLADES 100/PK



MISC.

MOPHAND1		MOP HANDLE
LA7580YEL		MOP BUCKET / RINGER COMBO
HOBPBB18		18" PUSHBROOM HEAD
HOHNDL60	✓	60" PUSHBROOM HANDLE (THREADED)
MA96	✓	GREEN SCRUB PADS 60/CS
RPMP4200	✓	HEAVY DUTY BROWN SCRUB PADS 20/CS
MA4166	✓	9104 RAZOR BACK BLACK SCRUB PADS 20/CS
ROSPONGE6		SPONGE 48/CS

Q-Gard® Comfortwear®

Q-Gard® Comfortwear garments are designed to be used in dry environments where the main goal is staying clean and comfortable. This garment also has a “real world” design with a unique 4-layer construction holdout. It is a coverall with a hood, boots, and elastic back that is designed with more material in high stress areas to reduce ripping in problem areas. Q-Gard® Comfortwear is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- Unique 4-layer construction for increased comfort and durability
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #
XL	25/CS	01144 <input checked="" type="checkbox"/>
2XL	25/CS	01145 <input checked="" type="checkbox"/>
3XL	25/CS	01146 <input checked="" type="checkbox"/>
4XL	25/CS	01147 <input checked="" type="checkbox"/>
6XL	available with lead time	

* Larger sizes available with minimum order quantity and lead time



Barrierwear®



Barrierwear® garments are designed to be used in light water splash and dry environments where the main goal is staying clean. The “real world” design and unique 2-layer construction of this material allows heat and sweat vapor to escape while maintaining a high level of protection and comfort. The garment style is a coverall with a hood, boots, and elastic back designed with more material in high stress areas to help minimize ripping-out. Barrierwear® is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- 2-layer construction for reduced heat and increased protection
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	25/CS	30143 <input checked="" type="checkbox"/>	4XL	25/CS	30147
XL	25/CS	30144 <input checked="" type="checkbox"/>	5XL	25/CS	30148
2XL	25/CS	30145 <input checked="" type="checkbox"/>	6XL	25/CS	30149
3XL	25/CS	30146 <input checked="" type="checkbox"/>			

* Larger sizes available with minimum order quantity and lead time

Q-Stik® Shoe Covers



- **Anti-slip coating** for better traction in *wet and dry* environments
- **Water resistant**
- **Strong 2-layer design**

TYPE	COLOR	SIZE	QTY/CS	PART #
Shoe Cover	White	XL	100pr/cs	10204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	XL	100pr/cs	11204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	2XL	100pr/cs	11205 <input checked="" type="checkbox"/>

Q-Gard® Quantumwear®



Q-Gard® Quantumwear® is the newest addition to the QPA™ family of products. Q-Gard® Quantumwear® has been developed to incorporate attributes from our two industry-leading protective garments, Q-Gard® Comfortwear® and Barrierwear®. Through interviews and focus groups with end-users, we have created a patent-pending product that addresses every-day, real life challenges for a number of environments. This product also offers a high level of particle hold out without sacrificing breathability of the garment.

- Elbows and knees reinforced with an additional layer for reduced bleed through contamination
- Two dosimeter/doffing straps on chest for reduced risk of contamination around the neck
- Larger hood with blue flap cover and doffing straps for increased mobility, visibility, comfort, and ease of doffing

Applications:

Nuclear D&D
Asbestos, Lead, and Mold Abatement
General Maintenance

Dusty Environments
Food Processing
Clean Rooms



Q-Gard® Quantumwear® Hood & Boot - White

SIZE	QTY/CS	PART #	
XL	25	01154	✓
2XL	25	01155	✓
3XL	25	01156	✓
4XL	25	01157	✓
5XL	25	01158	✓

Q-Gard® Quantumwear® Separate Hood

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-H	✓

Q-Gard® Quantumwear® Separate Boot

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-B	✓



Q-Gard® Quantumwear® No Hood, No Boot - White

SIZE	QTY/CS	PART #	
XL	25	01164	✓
2XL	25	01165	✓
3XL	25	01166	✓
4XL	25	01167	✓
5XL	25	01168	✓



Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.



Questape®

- Specifically designed for the Asbestos, Mold and Lead Abatement markets
- Low residue
- Holds longer
- Easily unrolled
- 60 yards/roll

SIZE ROLLS/CS PART #

2" roll	24/CS	QT2	<input checked="" type="checkbox"/>
3" roll	16/CS	QT3	<input checked="" type="checkbox"/>

QT Pro™*The Tape The Pro's Use™*

- New from the Questape® line of products
- Excellent tensile strength
- Superior adhesion and tack
- Low Residue
- 60 yards/roll

SIZE ROLLS/CS PART #

2" roll	24/CS	QTPRO2	<input checked="" type="checkbox"/>
3" roll	16/CS	QTPRO3	

Faztak™

- Versatile polyethylene coated cloth tape
- Adheres to a wide variety of substrates
- Conforms well to irregular surfaces
- 60 yards/roll

SIZE ROLLS/CS PART #

2" roll	24/CS	FAZTAK2	<input checked="" type="checkbox"/>
3" roll	16/CS	FAZTAK3	<input checked="" type="checkbox"/>

Blue Painter's Tape**SIZE ROLLS/CS PART #**

2" roll	24/CS	PG902
3" roll	8/CS	85852



Watch for this symbol to see the products we commit to keeping in our warehouse!

Signs, Labels, Barrier Tape

DESCRIPTION	QUANTITY	PART #
Danger Lead Hazard Paper Sign	100/pk	NMD299
Danger Lead Label	500/rl	NMPRD95
Danger Lead Barrier Tape	size: 3" x 1000' color: Black on Red	NMPT53

L-B-C® Lead Barrier Compound



L-B-C® is a high-solids, elastomeric-thermoplastic, water-based copolymer that meets or exceeds all projected federal, state and local standards for lead-based paint encapsulants. Blended specifically to form a durable and

flexible encapsulant barrier between lead-based paint and the environment, L-B-C® has been independently tested to the ASTM E-1795 requirements for Category III (Type III- Interior/ Exterior) encapsulants. E-1795 is the principle performance standard required, adopted and/or incorporated by reference into lead paint abatement rules and regulations at the federal, state and local levels.

COVERAGES		
Size	Qty	Coverage
5 Gal. Pail	EACH	120 sq.ft./gal

PART # FI5801C

Piranha® 4



Removes multiple layers of most difficult paints and stubborn coatings without the use of dangerous solvents or caustics. Excellent sag resistance- clings to vertical and overhead surfaces. Piranha® 4 effectively removes tough mixed systems

of oil and latex paint.

COVERAGES		
Size	Qty	Coverage
5 Gal. Pail	EACH	125 sq.ft./gal
1 Gallon	EACH	125 sq.ft./gal

ITEM	PART #
5 Gal. Pail	FI5740C
1 Gallon	FI57401

Ledizolv®



Ledizolv® is a scientifically formulated lead-specific detergent intended for use in the clean-up and control of lead-contaminated dust (LCD) hazards during post abatement cleaning and in-place management activities.

COVERAGES		
Size	Qty	Coverage
1 Gallon	EACH	dependent upon method of application and surface

PART # HILEDOLV1

Piranha® 8



Piranha® 8 is a self-sealing caustic paste chemical paint remover that stays wet longer and attacks paint more aggressively - the qualities needed to work effectively on steel in an exterior environment.

COVERAGES			
Size	Qty	Thickness of Application	Coverage
5 Gal. Pail	EACH	1/4"	6.4 sq.ft./gal
5 Gal. Pail	EACH	1/8"	12.8 sq.ft./gal
5 Gal. Pail	EACH	1/16"	25.6 sq.ft./gal

PART # FI5780



PEEL AWAY® 1

The PEEL AWAY® I System is an environmentally safe method of removing up to thirty two (32) layers of paint in a single application from most surfaces and there are NO FUMES AND NO FLAMMABLE SOLVENTS. The System includes a paste that is spread or sprayed over the surface to be stripped and then covered with a fibrous laminated paper which controls evaporation, and is left on until all of the paint is dissolved for easy collection of the waste. The laminated paper is then removed with the bulk of the paste and paint adhering to it and the stripped surface is washed clean and neutralized. PEEL AWAY® I works best when oil/lead based paint is the prime coating on the surface. Coverage is 15-20 sq. feet per gallon

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	25 sq.ft./gal

PART #PA15 ☒**PEEL AWAY® ST-1**

PEEL AWAY® ST-1 has been specifically formulated for removal of lead based paint from steel structures such as tanks, bridges and structural members. PEEL AWAY® ST-1 is similar to PEEL AWAY® I however its self-sealing characteristic allows it to continue working in a moist environment without requiring any PEEL AWAY® cover. Coverage is 20 sq. feet per gallon.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	20 sq.ft./gal

PART #

PAST15

PEEL AWAY® 7

PEEL AWAY® 7 is an environmentally safe paint remover used to remove oil and latex paint. It is stronger than the PEEL AWAY® 6, especially at removing oil or lead paint from wood to be kept natural color after stripping. PEEL AWAY® 7 can be used indoors or outdoors and is highly recommended for exterior cedar or redwood shakes because it creates no moisture on the surface being stripped. It is excellent for carved and molded surfaces. Coverage is 40-50 sq. feet per gallon.

COVERAGES

Size	Qty	Coverage
5 Gal. Pail	EACH	25 – 40sq.ft./gal

PART #

PA75

PEEL AWAY® NEUTRALIZER

PEEL AWAY® NEUTRALIZER is an acetic acid solution used to reduce the pH levels on surfaces where the PEEL AWAY® I or ST-1 product was used. Since PEEL AWAY® I and ST-1 are alkaline strippers and have a high pH level, it is necessary to use the PEEL AWAY® Neutralizer to reduce the pH levels. PEEL AWAY® Neutralizer is a concentrate, which is diluted with water and sprayed on to the surface. Coverage is 200 sq. feet per gallon.

PART #

PANU5

Hand Sanitizer

12 oz. pump hand sanitizer, 12/cs

PART #

GOJ9659

AARGO® Needle Guns**PNEUMATIC**

PART #	DESCRIPTION
904026	PISTOL GRIP 2 MM NEEDLE GUN W/DCOA
904027	PISTOL GRIP 3 MM NEEDLE GUN W/DCOA
904011	RECOILLESS NEEDLE GUN W/DCOA



904026



904011

ELECTRIC

PART #	DESCRIPTION
904080	HD 2 MM NEEDLE GUN W/DCOA
904003	HD 3 MM NEEDLE GUN W/DCOA



904003

Lead Check Swab Kit

Swabs are self contained test units which provide a rapid, easy to use, specific test for lead on any surface.

PART # PB2M8I

3M™ N100 Respirator

Well suited for those who want NIOSH's highest rated filtration efficiency in a maintenance free respirator. It provides a minimum filter efficiency of 99.97% against non-oil based particles.

PART # 3M8233

**ZipWall®
Zipper Doorway System**

Use the ZipWall® Heavy Duty Zipper to create a doorway where you want it. This zipper is ideal when your barrier will be up for a while, if there will be a lot of traffic in and out, or if the worksite will go below freezing.

The improved 7 foot long zipper is made from a single 3"-wide piece of fabric. This eliminates the stitching required to join the adhesive strips to the zipper.

PART # ZIPPERS2

Dust Shield PRO Adjustable Poles

This unique system makes constructing temporary walls to control dust quick and simple! The DUST SHIELD Pole locks the screening material firmly against the ceiling. The Dust Shield poles can be extended up to 12 feet. Made of heavy gauge aluminum. 2/box

PART # QP7132



TackyMat



- TackyMat stops dirt before it can be tracked into your office
- Increases carpet/flooring life and helps reduce maintenance and cleaning costs
- Designed for industrial, commercial, and residential applications

SIZE	PART #
36 X 36	SSTM3636W
24 X 45	TM2445W

HEPA vac (Dry) (4 gal)



Built for easy handling, high capacity and long life. This unit exceeds federal standards and accepted filtration levels. Designed for cleaning hazardous dust and in areas where total cleaning is necessary. Large

volume commercial grade vacuum for fast, effective cleaning. Comes standard with: -HEPA filter - plug - 6 foot suction hose - dual mode floor tool telescopic wand - combination brush/nozzle - crevice tool. For dry pick up only.

PART #	ECUZ930
--------	---------

WYPALL® X60 Wipers



WYPALL® X60 Wipers bring the absorbing power of our HYDROKNIT* material technology to a light weight wiper, combining versatile performance and economy for light-duty tasks. Plus, the new Just One dispenser port is designed to be easier

to use and more efficient with One-At-A-Time dispensing.

PART #	KC34790
--------	---------

Carpet Mask® (36" x 200')



- Roll it on- Stays in place
- Easy to use and remove
- Clear, tough 2 mil. non-skid surface
- Temporary protection-up to 30 days
- Great for hallways and stairs
- Use on all types of synthetic carpets
- Tear and puncture resistant

PART #	CM415CLEAR
--------	------------

Omega Vacuum (5 gal)



Best value, ESD safe, 0.3-micron service vac available. Directly crosses the 3M model 497-AJ.


- Affordable fine particle extraction

- Electrostatically safe (ESD safe)
- HEPA options
- ULPA options

ITEM	PART #
OMEGA VACUUM	ATOV1000A
BEATER BAR FOR OMEGA VACUUM	WWRKPT160
OMEGA VACUUM HARNESS	VACPACK

HAND TOOLS

PART #		DESCRIPTION
OL52020S		SHOE HANDLE WIRE BRUSH
OL52010S	<input checked="" type="checkbox"/>	LONG HANDLE WIRE BRUSH
ROPLASBR1	<input checked="" type="checkbox"/>	PLASTIC HANDLE WIRE TOOTH BRUSH
OL39103		TIN SNIPS - STRAIGHT CUT
OL39101		TIN SNIPS - RIGHT CUT
EM15	<input checked="" type="checkbox"/>	3" BENT BLADE SCRAPER
EM27	<input checked="" type="checkbox"/>	3" STIFF SCRAPER (BURN-OFF SCRAPER)
AR332201		1 - 1/2" PUTTY KNIFE
EM440		WALL STRIPPER - 4" RAZOR
EM444		REPLACEMENT BLADES FOR WALL SCRAPER
RO51TOOL	<input checked="" type="checkbox"/>	5 IN 1 TOOL
PRSG197		SAFETY GRIP UTILITY KNIFE
AR551199		UTILITY KNIFE WITH SAFETY LIP
61-0476	<input checked="" type="checkbox"/>	HEAVY DUTY UTILITY KNIFE
SN-195	<input checked="" type="checkbox"/>	STANDARD UTILITY KNIFE
AR1992	<input checked="" type="checkbox"/>	REPLACEMENT BLADES 100/PK

**STAPLER & STAPLES**

JEP22	<input checked="" type="checkbox"/>	STAPLER
JET50		ARROW® 1/2" STAPLES
SCP-22		ARROW® 1/4" STAPLES
SCT-50		ARROW® 3/8" STAPLES

MISC.

HOBPBB18		18" PUSHBROOM HEAD
HOHNDL60	<input checked="" type="checkbox"/>	60" PUSHBROOM HANDLE (THREADED)
MA96	<input checked="" type="checkbox"/>	GREEN SCRUB PADS 60/CS
RPMP4200	<input checked="" type="checkbox"/>	HEAVY DUTY BROWN SCRUB PADS 20/CS
3M8550	<input checked="" type="checkbox"/>	EXTRA-COURSE BLACK SCRUB PADS 20/CS
ROSPONGE6		SPONGE 48/CS
CE5905		500 WATT HALOGEN BULBS
MT1220240		3 PHASE DISTRIBUTION PLATES



Q-Gard® Quantumwear®



Q-Gard® Quantumwear® is the newest addition to the QPA™ family of products. Q-Gard® Quantumwear® has been developed to incorporate attributes from our two industry-leading protective garments, Q-Gard® Comfortwear® and Barrierwear®. Through focus groups and interviews with end-users, we have created a patent-pending product that addresses every-day, real life challenges for a number of environments. This product also offers a high level of particle hold out without sacrificing breathability of the garment.

- Elbows and knees reinforced with an additional layer for reduced bleed through contamination
- Two dosimeter/doffing straps on chest for reduced risk of contamination around the neck
- Larger hood with blue flap cover and doffing straps for increased mobility, visibility, comfort, and ease of doffing



Applications:

Nuclear D&D
Asbestos, Lead, and Mold Abatement
General Maintenance

Dusty Environments
Food Processing
Clean Rooms

Q-Gard® Quantumwear® Hood & Boot - White

SIZE	QTY/CS	PART #
XL	25	01154 <input checked="" type="checkbox"/>
2XL	25	01155 <input checked="" type="checkbox"/>
3XL	25	01156 <input checked="" type="checkbox"/>
4XL	25	01157 <input checked="" type="checkbox"/>
5XL	25	01158 <input checked="" type="checkbox"/>

Q-Gard® Quantumwear® No Hood, No Boot - White

SIZE	QTY/CS	PART #
XL	25	01164 <input checked="" type="checkbox"/>
2XL	25	01165 <input checked="" type="checkbox"/>
3XL	25	01166 <input checked="" type="checkbox"/>
4XL	25	01167 <input checked="" type="checkbox"/>
5XL	25	01168 <input checked="" type="checkbox"/>

Q-Gard® Quantumwear® Separate Hood

SIZE	QTY/CS	PART #
One Size	100/CS	0115-H <input checked="" type="checkbox"/>

Q-Gard® Quantumwear® Separate Boot

SIZE	QTY/CS	PART #
One Size	100/CS	0115-B <input checked="" type="checkbox"/>

Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.

Barrierwear® Lab Coat



The Barrierwear® Lab Coat is the newest product in the Quest Protective Apparel® line of products, aimed at helping laboratory personnel reduce the possibility of bleed-through contamination events, offer better splash resistance than launderable coats, and provide a light weight, comfortable, and cool working experience. Through focus groups and interviews with end-users, we have created a product that addresses every-day, real life challenges for a number of laboratory environments. Made from our proven Barrierwear® fabric, this product also offers a high level of splash resistance and particle hold-out that launderables just can't meet.

- Barrierwear® fabric for excellent splash resistance, particularly for sleeves while arms are inside a hood.
- Dosimeter strap
- Two pockets; chest and hip
- Larger cut for comfort and movement.
- Light Weight fabric and Collarless for better comfort
- Inexpensive solution for visitors, temporary workers.

Applications:

Radiological and Environmental Laboratory work Clean Rooms
Field Sampling and Surveys and Walk-downs Food Processing
Visitor dress-out

Barrierwear® Lab Coat - White

SIZE	QTY/CS	PART #
XL	30/CS	QU03034
3XL	30/CS	QU03036
6XL	30/CS	QU03039


Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.



Protecting Workers in Any Environment
www.questsafety.com (800) 878-4872

 = Committed Stock Items

Q-Gard® Comfortwear®



Q-Gard® Comfortwear garments are designed to be used in dry environments where the main goal is staying clean and comfortable. This garment also has a “real world” design with a unique 4-layer construction holdout. It is a coverall with a hood, boots, and elastic back that is designed with more material in high stress areas to reduce ripping in problem areas. Q-Gard® Comfortwear is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- Unique 4-layer construction for increased comfort and durability
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #
XL	25/CS	01144 <input checked="" type="checkbox"/>
2XL	25/CS	01145 <input checked="" type="checkbox"/>
3XL	25/CS	01146 <input checked="" type="checkbox"/>
4XL	25/CS	01147 <input checked="" type="checkbox"/>
6XL	available with lead time	

* Larger sizes available with minimum order quantity and lead time

Barrierwear®

Barrierwear® garments are designed to be used in light water splash and dry environments where the main goal is staying clean. The "real world" design and unique 2-layer construction of this material allows heat and sweat vapor to escape while maintaining a high level of protection and comfort. The garment style is a coverall with a hood, boots, and elastic back designed with more material in high stress areas to help minimize ripping-out. Barrierwear® is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- 2-layer construction for reduced heat and increased protection
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	25/CS	30143 <input checked="" type="checkbox"/>	4XL	25/CS	30147
XL	25/CS	30144 <input checked="" type="checkbox"/>	5XL	25/CS	30148
2XL	25/CS	30145 <input checked="" type="checkbox"/>	6XL	25/CS	30149
3XL	25/CS	30146 <input checked="" type="checkbox"/>			

* Larger sizes available with minimum order quantity and lead time

Q-Stik® Shoe Covers

- **Anti-slip coating** for better traction in wet and dry environments
- **Water resistant**
- **Strong 2-layer design**

TYPE	COLOR	SIZE	QTY/CS	PART #
Shoe Cover	White	XL	100pr/cs	10204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	XL	100pr/cs	11204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	2XL	100pr/cs	11205 <input checked="" type="checkbox"/>



ATTACK!® 2000™ No Odor



- Designed for black and tan mastics
- No odor formula for working in occupied areas
- Twice the coverage per gallon of comparable low odor formulas

Coverage: 150-200 sq.ft./gal

SIZE	PART #	
5 GAL.	QU20005	<input checked="" type="checkbox"/>
55 GAL.	QU200055	<input checked="" type="checkbox"/>

ATTACK!® Low Odor



- Designed to dissolve black mastics and adhesives
- Low odor formula
- Fast acting formula

Coverage: 75-150 sq. ft./gal

SIZE	PART #	
5 GAL.	S34055	<input checked="" type="checkbox"/>
55 GAL.	S3450	<input checked="" type="checkbox"/>

ATTACK!® Super Soy™

USDA
BioPreferred



- 100% soybean based formula
- Designed to dissolve black mastics
- Ultra low odor
- Flash point of over 425 °F
- Excellent solution for projects in schools

Coverage: 200-400 sq.ft./gal

SIZE	PART #	
5 GAL.	QUSOY	<input checked="" type="checkbox"/>
55 GAL.	QUSOY55	<input checked="" type="checkbox"/>

ATTACK!® Super Off™



- Designed to dissolve black and tan mastics
- Fast acting, 100% organic formula
- For use in unoccupied areas only

Coverage: 75-150 sq.ft./gal

SIZE	PART #	
5 GAL.	S34515	<input checked="" type="checkbox"/>
55 GAL.	S3451	<input checked="" type="checkbox"/>

ATTACK!® Carpet Adhesive Remover



- Designed to remove latex and acrylic based mastics
- Water based formula
- Works 30% faster than the competition

Coverage: 40-80 sq.ft./gal

SIZE	PART #	
5 GAL.	QUCAR05	<input checked="" type="checkbox"/>
55 GAL.	ULRCAR55	<input checked="" type="checkbox"/>

ATTACK!® 2000-V™



- C.A.R.B. Compliant Formulation
- No odor for occupied areas
- High Flashpoint (>204° F)
- Fast Acting
- Excellent Coverage

Coverage: 150-200 sq. ft./gal

SIZE	PART #	
5 GAL.	QU20005V	<input checked="" type="checkbox"/>
55 GAL.	QU200055V	<input checked="" type="checkbox"/>

ATTACK!® Low Odor-V™

- C.A.R.B. Compliant Formulation
 - Complex surfactant system for quick rinsing and easy cleanup
 - Fast Acting
 - Excellent Coverage
- Coverage: 75-150 sq. ft./gal

SIZE	PART #
5 GAL.	S34055V <input checked="" type="checkbox"/>
55 GAL.	S3450V <input checked="" type="checkbox"/>

Questik® Spray Adhesive

- Designed for both temporary and permanent bonding
- Waterproof
- Flexible
- Transparent and non-staining
- No chlorinated solvents or ozone depleters
- Cleans easily with mineral spirits and Attack!® Citrus Degreaser

General Applications:

Leather Cardboard
Plastics Cloth

QTY/CS	PART #
12/CS	AM315 <input checked="" type="checkbox"/>

Kwik Kleen™ No Odor

- No Odor
 - High Flashpoint (>200° F)
 - Fast Acting
 - Excellent Coverage
 - Easy Rinsing
- Coverage: 150-200 sq. ft./gal

SIZE	PART #
5 GAL.	KKN05
55 GAL.	KKN055

ATTACK!® Citrus Degreaser

- C.A.R.B. compliant formula
- Acts fast, saves clean up time, and makes dirty equipment look like new again.
- Designed to remove tough materials such as adhesive residue, tar, and grease.
- Quickly Dissolves

Applications:

Asphalt Adhesives
Tar Dyes
Grease Tree Sap
Inks Carbon
Oils Wax
Scuff Marks Permanent Markers

QTY/CS	PART #
12/CS	QUCITRUS <input checked="" type="checkbox"/>

Kwik Kleen™ Low Odor

- Low Odor
 - Fast Acting
 - Excellent Coverage
 - Lower Cost per Square Foot
 - Easy Rinsing
- Coverage: 75-150 sq. ft./gal

SIZE	PART #
5 GAL.	KKLOW5
55 GAL.	KKLOW55



Questape®



- Specifically designed for the Asbestos, Mold and Lead Abatement markets
- Low residue
- Holds longer
- Easily unrolled
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QT2	<input checked="" type="checkbox"/>
3" roll	16/CS	QT3	<input checked="" type="checkbox"/>

QT Pro™

The Tape The Pro's Use™



- New from the Questape® line of products
- Excellent tensile strength
- Superior adhesion and tack
- Low Residue
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	QTPRO2	<input checked="" type="checkbox"/>
3" roll	16/CS	QTPRO3	

Faztak™



- Versatile polyethylene coated cloth tape
- Adheres to a wide variety of substrates
- Conforms well to irregular surfaces
- 60 yards/roll

SIZE ROLLS/CS PART

2" roll	24/CS	FAZTAK2	<input checked="" type="checkbox"/>
3" roll	16/CS	FAZTAK3	<input checked="" type="checkbox"/>

Nuclear Grade Ductape



Features & Benefits

Meets ANSI and NRC regulations. Superior tensile strength. Clean release - resists delamination. Meets detrimental material requirements. Outstanding performance over a

wide range of temperatures. Preferred by professionals who demand a consistent, trouble-free product. *NOTE: Our Easy Tear 357 Nuclear version is specifically designed for easy tearability with gloves, where other tapes would be difficult to tear.*

Applications: Securing gloves to sleeves. Securing boots to pants. Color coding. Securing sheets to walls.

SIZE ROLLS/CS PART

2" roll	24/CS	N3572	<input checked="" type="checkbox"/>
3" roll	16/CS	N3573	

Signs

**RADIATION, HIGH AIRBORNE CONCENTRATION (W/GRAPHIC)**

SIZE: 10" x 14"

QTY/CS**PART #**

EACH

MRADG03XV

**CAUTION, RADIATION AREA (W/GRAPHIC)**

SIZE: 10" x 14"

QTY/CS**PART #**

EACH


MRADC10 ☒**CAUTION, RADIOACTIVE MATERIALS (W/GRAPHIC)**

SIZE: 10" x 14"

QTY/CS**PART #**

EACH

33629BBHPLY2WY


**RADIOACTIVE MATERIAL STORAGE AREA NO SMOKING RADCON PERMISSION REQUIRED FOR ENTRY TLD AND DOSIMETER REQUIRED (W/GRAPHIC)**

SIZE: 10" x 14"

QTY/CS**PART #**

EACH

MRADG09XV

**RADIOACTIVE WASTE PROHIBITED DOWN DRAIN (W/GRAPHIC)**

SIZE: 10" x 14"

QTY/CS**PART #**

EACH

MRADG13XV ☒**Caution, Radioactive Materials Tag****QTY/CS****PART #**

25

MDT624CTM ☒

Radchain Post




Provides a visual barricade for problem areas or traffic control. The hollow base can be filled with sand or concrete for additional stability. Chain passes through post at top or "S" hook can be used to attach chain, rope or ribbon.

GZ1037 - Stanchion Plastic - Base 14" dia - pole 32" high (2" dia) 3" ball at top - 3 piece construction overall height 41" - 6 each per case

PART # GZ1037

Radrope



GZ1027 -
Polypropylene rope
5/16" diameter x 600'
Color: yellow/magenta

PART # GZ1027 ☒

Barricade Tape



GZ1004 - "Barricade Poly" Tape
3" x 1000' x 4 mil
"Caution "Rad Symbol"
Radiation Area"
Color: magenta/yellow

PART # GZ1004 ☒

Radiation Tape



PART # MPT33

Double Loop metal chain



Alternating 2' yellow 2' magenta with Everlast poly coating 500' per bucket
Weight 40 pounds per bucket GZ1380 -
Double Loop metal chain

PART # GZ1380

A10 Bargard



- Fits rebars 3/8" to 1-1/4" diameter
- Also fits inside 1-3/4" ID pipe
- Standard package 100 qty.

QTY/CS	PART #
100	3005543
300	3005548

Alconox®

Powdered Precision Cleaner: Concentrated, anionic detergent for manual and ultrasonic cleaning. Free rinsing to give you reliable results without interfering residues. Ideal for

cleaning contaminants from glassware, metals, plastic, ceramic, porcelain, rubber and fiberglass. Excellent replacement for corrosive acids and hazardous solvents. USDA authorized. Dilute 1:100. pH 9.5

QTY/CS	PART #
EACH	04-322-4

Latex and Polymer Anti-C Gloves

Anti C - Unsupported Natural Rubber Gloves
Mil Spec compliant glove for nuclear industry use.

Features and Benefits

- High density, 100% natural rubber has excellent resistance against abrasions, snags, cuts, etc.
- Diamond embossed palm has a positive grip in wet and dry applications.
- Embossed hand sizes makes sorting after decontamination easy.
- Gloves are certified incinerable.
- Meets MIL-G-82242D.
- Chlorinated finish for ease in donning and doffing.
- Sizes: 8, 9, 10, 11.

SIZE	PART #
8	ATCP1812-8
9	ATCP1812-9
10	ATCP1812-10
11	ATCP1812-11

Liquinox®

Critical Cleaning Liquid Detergent: Concentrated, anionic liquid detergent for manual and ultrasonic cleaning. Free rinsing to yield reliable results with no interfering residues. Extremely mild

and completely soluble in hard and soft water. USDA authorized. Dilute 1:100. pH 8.5

QTY/CS	PART #
EACH	ALIQNOX1 <input checked="" type="checkbox"/>

Nuclear Disposable Shoe Covers

Color coded layflat shoe covers. Easy to don and doff and economical.

SIZE	PART #
J (< 13)	FS662J <input checked="" type="checkbox"/>
XL (13 AND UP)	FS662XL <input checked="" type="checkbox"/>

Shower Towels

- Ultra absorbent 100% cotton loops for a soft and absorbent feel with a total blend of 86% cotton and 14% polyester for strength and super long life.

- A product that is pre-washed and ready to use... right out of the box.
- Proprietary high density selvedge construction - Designed to provide increased durability in the critical selvedge edge.

SIZE	PART #
22 X41	40511301 <input checked="" type="checkbox"/>



Disposable Rad Bags



6 mil rad bag, 36" x 48"

SIZE	QTY/ROLL	PART #
36" x 48"	100	TM36486RB

TackyMat



- TackyMat stops dirt before it can be tracked into your office
- Increases carpet/flooring life and helps reduce maintenance and cleaning costs
- Designed for industrial, commercial, and residential applications

SIZE	PART #
36 X 36	SSTM3636W <input checked="" type="checkbox"/>
24 X 45	TM2445W <input checked="" type="checkbox"/>

6200 Chill-its® Vest



Phase Change Cooling Vest:
Constant 58° keeps workers cooler, safer and more productive.

- o Maintains constant 58°F / 14°C
- o Cooling lifecycle lasts up to four hours

- o Comfortable cotton construction with hook & loop closure
- o Flame-resistant Banox FR3 fabric lasts up to 50 washings
- o Exceeds FTMS 191-5903

SIZE	PART #
S/M	6200M
L/XL	6200XL

Reversible Unisex Scrub Top



Reversible v-neck top with reinforced neck facing for extended wear, dolman sleeves, and breast pocket on both sides.

SIZE	COLOR	PART #
S	BLUE	7502S
M	BLUE	7502M
L	BLUE	7502L
XL	BLUE	7502XL
2XL	BLUE	75022XL
3XL	BLUE	75023XL
4XL	BLUE	75024XL
5XL	BLUE	75025XL

Reversible Unisex Scrub Pant



Reversible scrub pant. Boxer style with drawstring belt and back pocket on both sides.

SIZE	COLOR	PART #
S	BLUE	7602S
M	BLUE	7602M
L	BLUE	7602L
XL	BLUE	7602XL
2XL	BLUE	76022XL
3XL	BLUE	76023XL
4XL	BLUE	76024XL
5XL	BLUE	76025XL

X829 U.L.P.A. Vacuum



Key Features

- o Equipped with U.L.P.A. (Ultra Low Penetration Air) filter which is 99.999% efficient @ 0.12 microns
- o Non-woven, embossed, polyester filter bag provides 50% more filtration area than standard bags
- o State-of-the-art polypropylene lid assembly is acoustically designed to minimize noise down to 72 dba
- o Polyethylene tanks are durable, non-corrosive and dent-proof for years of reliable service
- o Patented, self-sealing intake ensures a positive vacuum seal while still allowing the hose to swivel for maximum cleaning convenience
- o Sure-grip quick release mechanism makes it easy to connect and remove hoses
- o Patented safety interlock system with a unique micro-switch. If the U.L.P.A. filter is not properly installed, the vacuum will not start
- o Convenient 50 foot power cord

General Overview

- o U.L.P.A. filtered vacuums for the safe recovery of asbestos, lead, mold, hexavalent chromium and other hazardous materials
- o Available in a 6 gallon or 15 gallon dry only or wet/dry to fit any remediation need
- o Dry recovery unit vacuums directly into a disposable bag
- o Direct load to a 6 mil lined tank increases cleaning capacity, eliminates double handling of debris and reduces decontamination time

DESCRIPTION	WET CAP.	PART #
15 GAL	13 GAL	C82915-06
15 GAL	DRY ONLY	C82915-05
6 GAL	4.5 GAL	C82906-01



HEPA vac



Built for easy handling, high capacity and long life. This unit exceeds federal standards and accepted filtration levels. Designed for cleaning hazardous dust and in areas where total cleaning is necessary. Large

volume commercial grade vacuum for fast, effective cleaning. Comes standard with: -HEPA filter - plug - 6 foot suction hose - dual mode floor tool telescopic wand - combination brush/nozzle - crevice tool. For dry pick up only.

PART #

ECUZ930 ☒

Glove Liners



14" cotton lisle, stretchable with extra long cuff, surged seams, one size fits all. Color white - domestic.

QTY/CS

PART #

12

ST8614C

3M™ BE-10 Tychem® Hood



3M BE-10 Series Hoods are loose fitting, positive pressure respiratory inlet coverings. These hoods, when combined with an appropriate powered air purifying respirator (PAPR), are designed to provide

respiratory protection against certain particulates (dusts, fumes, mists, radionuclides and asbestos), organic vapors, acid gases and other inorganic gases.

DESCRIPTION	QTY/CS	PART #
WHITE REGULAR	3/CASE	522-01-11R03
WHITE REGULAR	20/CASE	BE-10-20
WHITE LARGE	3/CASE	522-02-17R03

Omega Vacuum



Best value, ESD safe, 0.3-micron service vac available. Directly crosses the 3M model 497-AJ.

- Affordable fine particle extraction

- Electrostatically safe (ESD safe)
- HEPA options
- ULPA options

ITEM	PART #
OMEGA VACUUM	ATOV1000A
BEATER BAR FOR OMEGA VACUUM	WWRKPT160
OMEGA VACUUM HARNESS	VACPACK

Bullard
It's your life and you're worth it™

Powered Air Purifying System PA30



The PA30 Series protects workers against gases, vapors, and/or particulates by drawing ambient air through a filter/cartridge, and supplying that air through a

breathing tube into Bullard's popular line of Tychem Hoods and Loose Fitting Facepieces.

QTY/CS	PART #
EACH	PA30TICSB

Bullard
It's your life and you're worth it™


20 T1CR



- 9" Long Outer Bib
- 10 per package

QTY/CS	PART #
10	20T1CN <input checked="" type="checkbox"/>

Q-Gard® Comfortwear®



Q-Gard® Comfortwear garments are designed to be used in dry environments where the main goal is staying clean and comfortable. This garment also has a "real world" design with a unique 4-layer construction holdout. It is a coverall with a hood, boots, and elastic back that is designed with more material in high stress areas to reduce ripping in problem areas. Q-Gard® Comfortwear is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- Unique 4-layer construction for increased comfort and durability
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #
XL	25/CS	01144 <input checked="" type="checkbox"/>
2XL	25/CS	01145 <input checked="" type="checkbox"/>
3XL	25/CS	01146 <input checked="" type="checkbox"/>
4XL	25/CS	01147 <input checked="" type="checkbox"/>
6XL	available with lead time	

* Larger sizes available with minimum order quantity and lead time



Personal Protective Equipment

Barrierwear®



Barrierwear® garments are designed to be used in light water splash and dry environments where the main goal is staying clean. The “real world” design and unique 2-layer construction of this material allows heat and sweat vapor to escape while maintaining a high level of protection and comfort. The garment style is a coverall with a hood, boots, and elastic back designed with more material in high stress areas to help minimize ripping-out. Barrierwear® is also less expensive than leading competitors.

- REAL WORLD DESIGN™ for added comfort and protection
- 2-layer construction for reduced heat and increased protection
- Reinforced high stress areas including the shoulder, crotch and seat

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	25/CS	30143 <input checked="" type="checkbox"/>	4XL	25/CS	30147
XL	25/CS	30144 <input checked="" type="checkbox"/>	5XL	25/CS	30148
2XL	25/CS	30145 <input checked="" type="checkbox"/>	6XL	25/CS	30149
3XL	25/CS	30146 <input checked="" type="checkbox"/>			

* Larger sizes available with minimum order quantity and lead time

Q-Stik® Shoe Covers



- **Anti-slip coating** for better traction in wet and dry environments
- **Water resistant**
- **Strong 2-layer design**

TYPE	COLOR	SIZE	QTY/CS	PART #
Shoe Cover	White	XL	100pr/cs	10204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	XL	100pr/cs	11204 <input checked="" type="checkbox"/>
Shoe Cover	Blue	2XL	100pr/cs	11205 <input checked="" type="checkbox"/>

Q-Gard® Quantumwear®



Q-Gard® Quantumwear® is the newest addition to the QPA™ family of products. Q-Gard® Quantumwear® has been developed to incorporate attributes from our two industry-leading protective garments, Q-Gard® Comfortwear® and Barrierwear®. Through focus groups and interviews with end-users, we have created a patent-pending product that addresses every-day, real life challenges for a number of environments. This product also offers a high level of particle hold out without sacrificing breathability of the garment.

- Elbows and knees reinforced with an additional layer for reduced bleed through contamination
- Two dosimeter/doffing straps on chest for reduced risk of contamination around the neck
- Larger hood with blue flap cover and doffing straps for increased mobility, visibility, comfort, and ease of doffing

Applications:

Nuclear D&D

Asbestos, Lead, and Mold Abatement

General Maintenance

Dusty Environments

Food Processing

Clean Rooms



Q-Gard® Quantumwear® Hood & Boot - White

SIZE	QTY/CS	PART #	
XL	25	01154	✓
2XL	25	01155	✓
3XL	25	01156	✓
4XL	25	01157	✓
5XL	25	01158	✓

Q-Gard® Quantumwear® No Hood, No Boot - White

SIZE	QTY/CS	PART #	
XL	25	01164	✓
2XL	25	01165	✓
3XL	25	01166	✓
4XL	25	01167	✓
5XL	25	01168	✓

Q-Gard® Quantumwear® Separate Hood

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-H	✓

Q-Gard® Quantumwear® Separate Boot

SIZE	QTY/CS	PART #	
One Size	100/CS	0115-B	✓



Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.



Barrierwear® Lab Coat



The Barrierwear® Lab Coat is the newest product in the Quest Protective Apparel® line of products, aimed at helping laboratory personnel reduce the possibility of bleed-through contamination events, offer better splash resistance than launderable coats, and provide a light weight, comfortable, and cool working experience. Through focus groups and interviews with end-users, we have created a product that addresses every-day, real life challenges for a number of laboratory environments. Made from our proven Barrierwear® fabric, this product also offers a high level of splash resistance and particle hold-out that launderables just can't meet.

- Barrierwear® fabric for excellent splash resistance, particularly for sleeves while arms are inside a hood.
- Dosimeter strap
- Two pockets; chest and hip
- Larger cut for comfort and movement.
- Light Weight fabric and Collarless for better comfort
- Inexpensive solution for visitors, temporary workers.

Applications:

Radiological and Environmental Laboratory work Clean Rooms
Field Sampling and Surveys and Walk-downs Food Processing
Visitor dress-out

Barrierwear® Lab Coat - White

SIZE	QTY/CS	PART #
XL	30/CS	QU03034
3XL	30/CS	QU03036
6XL	30/CS	QU03039

Q-Gard® Quantumwear® is a registered trademark of Quest Environmental & Safety Products, Inc. and is currently patent pending.

Personal Protective Equipment

1.25 oz Coveralls



The economical Spunbond Polypropylene coverall offers protection against dry particulates


Features and Benefits

- Full length zipper front for easy donning.
- Attached hood with elastic around face. Attached boot for protection head to toe.
- Elastic wrist and ankles to keep particulates out.

Applications: Manufacturing, Pharmaceuticals, Cleaning, Food Processing

SIZE	COLOR	PART #	SIZE	COLOR	PART #
2XL	WHITE	QU125XXL	2XL	BLUE	QU125XXLB
3XL	WHITE	QU125XXXL	3XL	BLUE	QU125XXXB
4XL	WHITE	QU125XXXX	4XL	BLUE	QU125XXXXB
5XL	WHITE	QU1255XL	5XL	BLUE	QU1255XLB

Tyvek®




Style: TY120SWH

Garment Description and Features

Coverall with zipper front and collar. No elastic. Set sleeve pattern for greater arm movement. **Color:** White; Seam Type - Serged

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	25/CS	TY120-S	3XL	25/CS	TY1203XL
M	25/CS	TY120-M	4XL	25/CS	TY1204XL
L	25/CS	TY120-L	5XL	25/CS	TY1205XL
XL	25/CS	TY120-XL	6XL	25/CS	TY1206XL
2XL	25/CS	TY1202XL			

Tyvek®



Style: TY122SWH

Garment Description and Features

Coverall with zipper front, skid resistant boots and attached hood. Elastic around hood & wrists. Set sleeve pattern for greater arm movement. Seam Type - serged.


SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	25/CS	Q1TYVS	3XL	25/CS	Q1TYVXXXL <input checked="" type="checkbox"/>
M	25/CS	Q1TYVM	4XL	25/CS	Q1TYV4XL
L	25/CS	Q1TYVL	5XL	25/CS	Q1TYV5XL
XL	25/CS	Q1TYVXL	6XL	25/CS	Q1TYV6XL
2XL	25/CS	Q1TYVXXL			

Tyvek®, Tychem®, and Nomex® are registered trademarks of DuPont or its affiliates.



Personal Protective Equipment

Tyvek®



Style: TY125SWH


Garment Description and Features

Coverall with zipper front and collar. Elastic around wrists & ankles. Set sleeve pattern for greater arm movement.

Color: White; Seam Type - Serged

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	25/CS	TY125SS	3XL	25/CS	TY125S3XL
M	25/CS	TY125SM	4XL	25/CS	TY125S4XL
L	25/CS	TY125SL	5XL	25/CS	TY125S5XL
XL	25/CS	TY125SXL	6XL	25/CS	TY125S6XL
2XL	25/CS	TY125S2XL			

Tyvek®



Style: TY127SWH

Garment Description and Features

Coverall with zipper front, attached hood with elastic around face, elastic wrists and ankles. Set sleeve pattern for greater arm movement.

Color: White; Seam Type - Serged

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	25/CS	TY127SS	3XL	25/CS	TY127S3XL
M	25/CS	TY127SM	4XL	25/CS	TY127S4XL
L	25/CS	TY127SL	5XL	25/CS	TY127S5XL
XL	25/CS	TY127SXL	6XL	25/CS	TY127S6XL
2XL	25/CS	TY127S2XL			

Tychem® SL Suit



Coverall, Style 72150

Tychem® SL coverall, hood, elastic face, elastic wrists, attached boots. This garment offers protection against a broad spectrum of chemicals.

Sizes: S, M, L, XL

6 per case

Colors: White or Grey

Case Weight 7 lbs.

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
L	6/CS	72150L	4XL	6/CS	721504XL
XL	6/CS	72150XL	5XL	6/CS	721505XL
2XL	6/CS	721502XL	6XL	6/CS	721506XL
3XL	6/CS	721503XL			

3 PC 35mil Heavy Weight Rainsuit



Style: WC4035

Garment Description and Features

Coverall with zipper front, 3 piece yellow rain suit, 0.35 mm, pvc / polyester 2-ply, jacket with detachable hood, bib overall pants, corduroy collar, zipper front with storm fly front snaps

Color: Yellow

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	EACH	WC4035S	2XL	EACH	WC4035XXL
M	EACH	WC4035M	3XL	EACH	WC4035XXXL
L	EACH	WC4035L	4XL	EACH	WC4035XXXXL
XL	EACH	WC4035XL	5XL	EACH	WC40355XL

2 PC 35mil Heavy Weight Rainsuit



Style: LI1220AH

Garment Description and Features

2 piece yellow raincoat, 0.35 mm, pvc / polyester 2-ply, detachable hood, 48" length, storm fly front snaps

Color: Yellow

SIZE	QTY/CS	PART #	SIZE	QTY/CS	PART #
S	EACH	LI1220AHS	2XL	EACH	LI1220AH2XL
M	EACH	LI1220AHM	3XL	EACH	LI1220AH3XL
L	EACH	LI1220AHL	4XL	EACH	LI1220AH4XL
XL	EACH	LI1220AHXL	5XL	EACH	LI1220AH5XL





Half Face piece 6200



Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

SIZE	QTY/CS	PART #
S	EACH	3M6100
M	EACH	3M6200 <input checked="" type="checkbox"/>
L	EACH	3M6300 <input checked="" type="checkbox"/>



Full Facepiece 6800, Medium 4/Case



Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.

SIZE	QTY/CS	PART #
S	EACH	3M6700
M	EACH	3M6800 <input checked="" type="checkbox"/>
L	EACH	3M6900 <input checked="" type="checkbox"/>



3M™ Powerflow™ Face-Mounted Powered Air Purifying Respirator (PAPR) 6800PF



This respirator is a lightweight, face-mounted Powered Air Purifying Respirator (PAPR). It uses a single high efficiency filter for protection against dusts, mists, fumes and radio nuclides, making it ideal for

lead, asbestos and other hazardous particulates.

* Includes Charger

QTY/CS	PART #
EACH	3M6800PF



3M™ Half Facepiece Respirator 7502



This small half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow™ Exhalation Valve, enhances wearer comfort and face fit.

SIZE	QTY/CS	PART #
S	EACH	3M7501
M	EACH	3M7502 <input checked="" type="checkbox"/>
L	EACH	3M7503 <input checked="" type="checkbox"/>

NORTH

North® 7700 Respirator



- The most comfortable and durable half mask available.
- Silicone facepiece material conforms to facial features and doesn't harden with age.
- Silicone is easy to clean, durable and resists distortion.

- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves.
- Direct cartridge-to-facepiece seal minimizes replacement parts and simplifies maintenance.
- Does not interfere with protective eyewear.

SIZE	QTY/CS	PART #
S	EACH	N770030S
M	EACH	N770030M <input checked="" type="checkbox"/>
L	EACH	N770030L <input checked="" type="checkbox"/>

MSA

Advantage® 200 LS-3 Respirator



Offers unmatched fit and comfort with a clear blue facepiece. The thermoplastic rubber subtracts 25% of the weight and adds softness to MSA's Advantage 200 LS respirator. The patented MultiFlex® System equalizes pressure on the face-seal area,

while delivering exceptional stability, so the respirator will not collapse during wear. The AnthroCurve sealing surface instantly conforms to each wearer's unique facial characteristics. Current Advantage 200 respirator wearers require no additional fit testing.

SIZE	QTY/CS	PART #
S	EACH	MS815448
M	EACH	MS815444 <input checked="" type="checkbox"/>
L	EACH	MS815442 <input checked="" type="checkbox"/>

3M

3M™ Ultimate FX Full Facepiece Respirator


















Engineered for maximum comfort, durability and visibility, the Ultimate FX FF-400 is the only respirator with Scotchgard™ Protector.

This respirator features soft yet durable, silicone material and a large lens for superior peripheral vision.

SIZE	QTY/CS	PART #
Small	EACH	FF-401
Medium	EACH	FF-402
Large	EACH	FF-403



3M™ 6000 Series Cartridges

Description Part #			Description Part #		
	3M™ Acid Gas Cartridge 60/Case	6002		3M™ Organic Vapor/Acid Gas/P100 Cartridge 60/Case	60923 ✓
	3M™ Ammonia Methylamine Cartridge 60/Case	3M6004		3M™ Mercury Vapor/Chlorine Gas/P100 Cartridge 60/Case	60929
	3M™ Organic Vapor/P100 Cartridge 60/Case	3M60921 ✓		3M™ Formaldehyde/Organic Vapor Cartridge 60/Case	6005
	3M™ Acid Gas/P100 Cartridge 60/Case	60922		3M™ Mercury Vapor or Chlorine Cartridge 60/Case	6009
	3M™ Organic Vapor/Acid Gas/P100 Cartridge 60/Case	60923		3M™ Multi Gas/Vapor Cartridge 60/Case	6006
	3M™ P100 Cartridge 144/Case	3M7093B ✓		3M™ Organic Vapor Cartridge 60/Case	6001
	3M™ Formaldehyde/Organic Vapor/P100 Cartridge 60/Case	60925		3M™ Organic Vapor/Acid Gas Cartridge 60/Case	6003
	3M™ Multi Gas/Vapor/P100 Cartridge 60/Case	60926		3M™ High Efficiency Filter 20/Case	RASP3 ✓



Advantage® Respirator Cartridges



Designed for easy installation, Advantage cartridges use the latest bayonet-style mounting design. Featuring a low lug height and lead-in connectors, the cartridges lock into place with a single twist. An advanced engineering design makes negative pressure fit-testing easier to perform.

Approvals & Standards

The complete Advantage line of particulate, chemical and combination cartridges are approved under 42 CFR Part 84. The Occupational Safety and Health Administration (OSHA) requires fit tests to ensure proper fit for workers who use respirators.

Applications Per Manufacturer

Agriculture, Asbestos Abatement, Chemical, Construction, Electric Utility, Hazardous Materials, Mining, Nuclear, Oil and Gas, Paper & Pulp, Sanding & Grinding, Spray Painting, Welding.

Product Information

Filter cartridges protect against dusts, particles and mists. Chemical cartridges protect against gases and vapors. Combination cartridges deliver protection from both particulate and gaseous contaminants. All cartridges are interchangeable between the Advantage 200 and 1000 respirators and are color-coded. Most are incinerable.

Additional Product Information

- Bulletin - Respiratory Protection from Hexavalent Chromium (Bulletin No. 1000-62)
- Bulletin - Key Elements of a Sound Respiratory Protection Program (Bulletin No. 1000-61)
- Advantage Respirator Cartridges Ordering Information

MSA Cartridge Designation	Order No.	<div> <div>Organic Vapor</div> <div>Chlorine</div> <div>Sulfur Dioxide</div> <div>Chlorine Dioxide</div> <div>Hydrogen Chloride</div> <div>Hydrogen Sulfide*</div> <div>Ammonia</div> <div>Methylamine</div> <div>Formaldehyde</div> <div>Hydrogen Fluoride</div> <div>Mercury Vapor</div> <div>Filter Type & Efficiency</div> </div>													
		OV	CL	SD	CD	HC	HS*	AM	MA	FM	HF	MV	P100	R95	N95
GMA (OV)	MS815355 (2 in pkg.)	●												●	●
GMA (P100)	MS815362 (2 in pkg.)	●											●		
GMB (AG)	MS815356 (2 in pkg.)		●	●	●	●	●							●	●
GMB (P100)	MS815363 (2 in pkg.)		●	●	●	●	●						●		
GMC (OV/AG)	MS815357 (2 in pkg.)	●	●	●	●	●	●							●	●
GMC (P100)	MS815364 (2 in pkg.)	●	●	●	●	●	●						●		
GMD (AM/MA)	MS815358 (2 in pkg.)							●	●					●	●
GMD (P100)	MS815365 (2 in pkg.)							●	●				●		
GME (Multigas)	MS815359 (2 in pkg.)	●	●	●	●	●	●	●	●	●	●			●	●
GME (P100)	MS815366 (2 in pkg.)	●	●	●	●	●	●	●	●	●	●		●		
GMI** (P100)	MS815641 (2 in pkg.)	●											●		
Mersorb*	MS815361 (2 in pkg.)		●									●		●	●
Mersorb (P100)	MS815368 (2 in pkg.)		●									●	●		
Low Profile (P100)	MS815369 (2 in pkg.)												●		
Stand-alone Flexi-filter	MS815346 (2 in pkg.)														●
Prefilter & cover	MS815394 N95 (10 in pkg.) MS816357 N95 (50 in pkg.) MS815392														●
Prefilter & cover	MS815397 R95 (10 in pkg.) MS815401 R95 (50 in pkg.)													●	







*Escape. **Effective against, but not NIOSH approved for Iodine Vapor.



Personal Protective Equipment

NORTH

Respiratory Filters

Respiratory Hazards		Part #
	Organic Vapors / Pesticides: Approved for respiratory protection against pesticides. Not approved for fumigants.	N75001 QTY: EA or 144/CS
	Dusts, Fumes, Mists and Radionuclides: (HEPA) Approved for respiratory protection against dusts, fumes, and mists having a time-weighted average less than 0.05 milligram per cubic meter, asbestos containing dusts and mists and radionuclides.	N75008 <input checked="" type="checkbox"/> QTY: EA or 144/CS
	Organic Vapors, Dusts, Fumes, Mists, Radionuclides, Radon Daughters; Paint, Lacquer and Enamel Mists; and Pesticides: Approved for respiratory protection against: (1) mists of paints, lacquers and enamels; (2) organic vapors or; (3) any combination thereof; (4) dusts, fumes and mists having a time-weighted average less than 0.05 milligram per cubic meter; radon daughters attached to these dusts, fumes and mists; asbestos containing dusts and mists; radionuclides and; (5) pesticides. Do not use for protection against paints containing isocyanate. Do not use for protection against fumigants.	<input checked="" type="checkbox"/> N750081 QTY: EA or 24/CS
	Chlorine, Hydrogen Chloride, Sulfur Dioxide or Hydrogen Fluoride or dioxide Dust, Fumes, Mists, Radionuclides and Radon Daughters: Approved for respiratory protection against chlorine, hydrogen chloride, sulfur dioxide or hydrogen fluoride or formaldehyde; dusts, fumes and mists having a time-weighted average less than 0.05 milligram per cubic meter, and asbestos containing dusts and mists, radionuclides and radon daughters attached to these dusts fumes and mists.	N750082 QTY: EA or 12/CS
	Organic Vapors, Chlorine, Hydrogen Chloride, Sulfur Dioxide or Hydrogen Fluoride or Chlorine Dioxide; Dusts, Fumes, Mists, Radionuclides, and Radon Daughters: Approved for respiratory protection against organic vapors, chlorine, sulfur dioxide or hydrogen fluoride or chlorine dioxide; dusts, fumes, and mists having a time-weighted average less than 0.05 milligram per cubic meter, and asbestos containing dusts and mists, radionuclides and radon daughters attached to these dusts, fumes and mists.	<input checked="" type="checkbox"/> N750083D QTY: EA or 12/CS
	Ammonia, Methylamine, Dusts, Fumes, Mists, Radionuclides, and Radon Daughters: Approved for respiratory protection against ammonia and methylamine, dusts, fumes and mists having a time-weighted average less than 0.05 milligram per cubic meter, and asbestos containing dusts and mists, radionuclides and radon daughters attached to these dusts, fumes, and mists.	N750084 QTY: EA or 2/CS

Personal Protective Equipment

Venture II



Black Frame; Lens: Clear-General purposes for indoor application that require impact protection. Provides 99% protection from harmful UV-A and UV-B rays.

9.75 Base curved lens provides full side protection without distracting seams or traditional type side shields; Nose buds secure the glass and prevent slipping while providing a pillow soft fit; Lenses are coated for superior scratch resistance; Lenses provide 99% protection against harmful UV rays; Exceeds ANSI Z87.1 - 2003 High Impact requirements; Exceeds CSA Z94.3 standards; SB1810S, SB1820S, SB1860S, SB1870S and SB1880S - are CE EN 166 certified.

QTY/CS	PART #
EACH	SB1810S <input checked="" type="checkbox"/>

Mono Goggle



Lightweight, silicone body conforms to assure the highest level of comfort and eye protection from impacts and chemical splashes.

Cured silicone body stays soft and supple in extreme temperatures; Low profile and optically correct polycarbonate lens provides full field of vision; Uvextreme® anti-fog coating and indirect venting system minimizes fogging; Fits over most prescription eyewear; Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears; Passes ANSI Z87+ and CSA Z94.3 standards.

QTY/CS	PART #
EACH	10024 <input checked="" type="checkbox"/>

Glove Liners



14" cotton lisle, stretchable with extra long cuff, surged seams, one size fits all. Color white - domestic.

QTY/CS	PART #
12	ST8614C

Visitor Spectacle



Safety eyewear for visitors; Wide viewing area with excellent coverage; Fits over most prescription eyewear; Meets ANSI Z87+ and CSA Z94.3 safety standards.

SIZE	QTY/CS	PART #
REGULAR	EACH	S510S
JUMBO	EACH	S510SJ

Leather Palm Gloves



Highly wear-resistant fine quality split leather. Leather-covered palm, index finger, fingertip, and heel patch. Uses: Metal working, lumber, brick, block, construction, castings, and general heavy-duty wear.

QTY/CS	PART #
12pr/CS	WC100 <input checked="" type="checkbox"/>

Knit Wrist Glove



Most popular glove in the industry. Uses: Construction, general plant use, maintenance and production.

8 oz, Canvas, 100% Natural Cotton

QTY/CS	PART #
12pr/CS	WC708 <input checked="" type="checkbox"/>



Personal Protective Equipment

String Knit Gloves with 2-sided plastic dot



Reversible general purpose economy glove with dots on both sides for extended wear.

QTY/CS	PART #
12pr/CS	WC708SKBS <input checked="" type="checkbox"/>

Brown Jersey Gloves



Excellent comfort, the cotton is knitted providing 4-way stretch. The fiber has light heat protection and good wear factor. Fits snugly and provides excellent dexterity. 100% Cotton.

QTY/CS	PART #
12pr/CS	WC750 <input checked="" type="checkbox"/>

Lined Latex Gloves



Excellent general use chemical resistant glove for all industries. Flock lining provides extra strength and comfort

SIZE	QTY/CS	PART #
8	12pr/CS	WC23128 <input checked="" type="checkbox"/>
9	12pr/CS	WC23129 <input checked="" type="checkbox"/>
10	12pr/CS	WC231210 <input checked="" type="checkbox"/>

Unlined Nitrile Gloves



Provides extra protection against certain hazardous chemicals.

SIZE	QTY/CS	PART #
8	12pr/CS	WC24128 <input checked="" type="checkbox"/>
9	12pr/CS	WC24129 <input checked="" type="checkbox"/>
10	12pr/CS	WC241210 <input checked="" type="checkbox"/>

Latex Exam Gloves



Medical grade, 5 ml, lightly powdered, latex examination gloves. 100/box

SIZE	QTY/CS	PART #
S	12pr/CS	WC2500S
M	12pr/CS	WC2500M <input checked="" type="checkbox"/>
L	12pr/CS	WC2500L <input checked="" type="checkbox"/>

E-A-R® Classic® Plugs in Pillow Packs



Style: 310-1001

- Most popular earplug in the world
- The E-A-R® Yellow color is your assurance of proven protection.
- Moisture resistant dermatologically safe foam is not irritating
- Slow recovery PVC foam provides comfort with low pressure

QTY/CS	PART #
100pr/CS	STEAR1 <input checked="" type="checkbox"/>

Personal Protective Equipment



Max® 30 (Corded)



Workers who need to block out loud noise demand the best protection and comfort available in an earplug. That's where Max comes in. The world's most-used polyurethane earplug, Max

offers superior noise-blocking performance in a single-use earplug. Max's new enhanced contoured shape is easier to insert and resists backing out of the ear canal, while its softer foam delivers superior long-wearing comfort - delivering solid performance that your workers can depend on.

QTY/CS	PART #
100pr/CS	MAX30 <input checked="" type="checkbox"/>

Boot Cover



Tyvek® FC boot cover, elastic top, 17" high (intended to be worn over your own boots)

Color: Gray

QTY/CS	PART #
100pr/CS	BS11444

HAZMAT Overshoe - 12"



The 12in. Hazmat is 100% waterproof .67mm latex and offers disposable, economical protection against some acids, alcohol, salts, and ketones. Lightweight and highly stretchable.

SIZE	QTY/CS	COLOR	PART #
L	1pr/CS	YELLOW	DSC1250YL
XL	1pr/CS	YELLOW	DSC1250YX <input checked="" type="checkbox"/>
XXL	1pr/CS	YELLOW	DSC1250YXXL <input checked="" type="checkbox"/>

GX1297 Bootie



Bootie, latex - full form style with 30 mil slip resistant acid roughened sole - 12" high - size XL - color yellow

GX1297 - Bootie - latex - full formed - 12" H x 30 mil - color yellow - 50

pair per case

SIZE	COLOR	QTY/CS	PART #
XL	YELLOW	50pr/CS	GX1297

Tyvek®, Tychem®, and Nomex® are registered trademarks of DuPont or its affiliates.



Bullard

Classic Head Protection



The Patented Secure Fit nylon ratchet suspension features an easy turn knob. This allows the wearer to adjust the headband to a perfect fit without removing the helmet. The no-slip hold maintains the desired fit even in most physically active jobs or extreme weather, Fully adjusts to over 40 different head sizes, from size 5 7/8 to 8.

QTY/CS	PART #
EACH	3000R <input checked="" type="checkbox"/>

Tychem® SL Saranex Coated Double Bib Hood with Extra Large Lens and Taped Seams



- 20" Long Outer Bib
- No Suspension Required
- 10 per package

QTY/CS	PART #
10	20TIC

3M™ Hood BE-10BR Butyl Rubber



Used with 3M™ Breathe Easy™ Powered Air Purifying Respirator(PAPR) Systems. Chemical resistant material provides high level of airflow while providing excellent vision and accomodates facial hair

and glasses.

QTY/CS	PART #
EACH	BE-10BR

Bullard

It's your life and you're worth it™

Powered Air Purifying System PA30



The PA30 Series protects workers against gases, vapors, and/or particulates by drawing ambient air through a filter/cartridge, and supplying that air through a breathing tube into Bullard's popular line of Tychem Hoods and Loose Fitting Facepieces.

QTY/CS	PART #
EACH	PA30TICSB

Bullard

It's your life and you're worth it™

20 T1CR



- 9" Long Outer Bib
- 10 per package

QTY/CS	PART #
10	20T1CN <input checked="" type="checkbox"/>

3M™ BE-10 Tychem® Hood



3M BE-10 Series Hoods are loose fitting, positive pressure respiratory inlet coverings. These hoods, when combined with an appropriate powered air purifying respirator (PAPR), are designed to provide respiratory protection against certain particulates (dusts, fumes, mists, radionuclides and asbestos), organic vapors, acid gases and other inorganic gases.

DESCRIPTION	QTY/CS	PART #
WHITE REGULAR	3/CASE	BE-10-3
WHITE REGULAR	20/CASE	BE-10-20
WHITE LARGE	3/CASE	BE-10L-3

3M™ Breathing Tube Assembly



This assembly, 36 inches in length, is used with the 3M™ Breathe Easy™ 10 System. It delivers air to either the Tychem® QC hood or butyl rubber hood used on the system.

QTY/CS
PART #

EACH

520-01-00-R01

3M™ Breathe Easy™ Turbo PAPR Assembly



This assembly is used on 3M™ Breathe Easy™ Systems. It includes 3M™ Motor Blower 022-00-03R01, Battery Pack BP-15 (Nickel Metal Hydride), Belt 520-02-90R01 and Airflow Indicator 520-01-21.

DESCRIPTION
QTY/CS
PART #

MOTOR BLOWER

EACH

022-00-03R01

BATTERY PACK

EACH

520-02-23R01

BELT

EACH

520-02-90R01

AIRFLOW INDICATOR

EACH

520-01-21



500 Watt Halogen Bulbs

PART # CE5905

3 Phase Distribution Panels



These heavy-duty 3 phase power distribution carts are designed to breakdown 3 phase 120/208V power into 208V 3 phase, 250V single phase and/or 125V single-phase power. The power supply input may be a direct wire feed, 100A pin and sleeve, or cam type devices. Either a large generator or another large power source may power them. These panels may be designed to act as the feeder for the smaller spider type boxes or wired for powering large equipment. The cart is made of heavy gauge tube steel and provides an easy means of transportation as well as protection for the enclosure. The enclosure is custom built from 16 gauge sheet metal. 100A, 200A, 400A and special configurations are available upon request.

- Heavy Duty Cart
- Clear Breaker Panel Window
- Easily Stackable
- GFCI Protection Available
- 3R and 4X Available

PART # MT1220240

Twist Lock Plug & Connector Light Strings



LEN.	GAUGE	TYPE	JACKET	SOCKETS	GUARD	PK	WT
100	12/3	STW	Vinyl	10	*Pre-A Plastic	1	28
100	12/3	STW	Vinyl	10	*Pre-A Metal	1	33

Pre-A = Pre-assembled

Economy Import Lights



- Weatherproof and U.L. listed for use in wet locations.
- Sturdy double tripod base
- One rough service quartz halogen bulb included with each fixture
- Convenient cord wrap

DESCRIPTION	HEIGHT	WATT	MAST	SWITCH	WT.
Single Economy Fixture	6'	500	3 Stage	Yes	12
Double Economy Fixture	6'	1000	3 Stage	Yes	17

50' Extension Cord - 12 Gauge**PART #** A04500041**GFCI Pigtail 3ft; 3 outlet****PART #** CE1444G2**50' String Lights****PART #** CC0753850**1000 Watt double tripod light
- 2 500 watt lights on stand****PART #** CD5610I


3 Phase Distribution Panels.....	77	Danger Asbestos Signs.....	18, 19	IAQ 6100.....	35
3M Breathing Tube Assembly.....	76	Danger Lead Signs.....	42	Jersey Gloves.....	73
3M Hood.....	75	DCON 3.....	23	Knife.....	29, 37, 46
3M Mold Remediation Kit.....	36	Disinfectant.....	34, 35	Kwik Kleen Mastic Removers.....	5, 52
3M N100 Respirator.....	44	Disposable Bags.....	15	Lab Coat.....	9, 48, 63
3M PAPR.....	67	Disposable Rad Bags.....	57	Labels.....	19, 42
3M PAPR Assembly.....	76	Dispos-a-con 9000.....	23	Lag Kloth.....	21
3M Respirator Cartridges.....	69	Distribution Panels.....	77	Lag Kote.....	21
3M Respirator.....	67	Double Loop Metal Chain.....	55	Lag Kwik.....	21
A10 Bargard.....	55	Double Tripod Lights.....	77, 78	Latex Gloves.....	56, 73
AARGO Needle Guns.....	44	Double-Faced Tape.....	13	LBC Lead Barrier Compound.....	42
ABC Fiberspray.....	20	Ductape.....	10, 13, 41, 53	Lead Barrier Tape.....	42
ACM Bags.....	15	Duro Stripper Tile Stripper.....	27	Lead Check Swab Kit.....	44
Adjustable Poles.....	44	Dust Shield PRO Adjustable Poles.....	44	Lead Signs.....	42
AfterShock.....	35	Ear Protection.....	73, 74	Ledizolv.....	42
Air Sampling Cassettes.....	25	Ergodyne Chill-its Vest.....	57	Light Bulbs.....	29, 46, 77
AirOne Personal Pump.....	24	Extension Cord.....	78	Light Strings.....	77
Alconox.....	56	Faztak Ductape.....	10, 13, 41, 53	Lights.....	77, 78
Anionic Detergent.....	56	Fiberlock Products.....	20, 34, 35	Liquinox.....	56
Anti-C Gloves.....	56	Fiberset PM.....	20	Manometer.....	26
Asbestos Binding Compound.....	20	Foam Sqweegee.....	29	Mark II Manometer (Dwyer).....	26
Asbestos Labels.....	19	Foster 40-20.....	36	Mastic Remover.....	3, 11, 51
Asbestos Signs.....	18, 19	Foster 40-80 Disinfectant.....	35	Max 30 Ear Plugs.....	74
Attack!® Mastic Removers.....	3, 11, 51	Frock.....	9, 48, 63	Metal Chain.....	55
Avail Glove Bags.....	16	Full Face Respirator.....	36, 67	Micro-Max XP.....	24
Bargard.....	55	Fungicidal Protective Coating.....	35, 36	Mold Remediation Kit.....	36
Barricade Tape – Nuclear.....	55	GFCI Pigtail.....	78	Mop Bucket.....	29, 37
Barrier Tape.....	19, 42	Glove Bags.....	16	Mop Handle.....	29, 37
Barrierwear®.....	7, 32, 39, 50, 61	Glove Liners.....	59, 75	Mop Heads.....	29, 37
Barrierwear® Lab Coat.....	9, 48, 63	Gloves.....	56, 72, 73	Mops.....	29, 37
BigFoot Tile Remover.....	28	Grayling Products.....	23	MSA Respirator.....	68
Blade Scraper.....	29, 37, 46	Half Face Respirator.....	67	MSA Respirator Cartridges.....	70
Blower.....	36	Halogen Light Bulbs.....	29, 46, 77	Needle Guns.....	44
Boot Covers.....	74	Hand Sanitizer.....	43	Negative Air Machine.....	23
Brady Products.....	76	Hand Tools.....	29, 37, 46	Nitrile Gloves.....	73
Breathing Tube Assembly.....	76	Hard Hats.....	72	North Respirator.....	70
Bronco Tile Stripper.....	27	HAZMAT Overshoes.....	74	North Respirator Filters.....	71
Broom Handle.....	29, 37, 46	Head Protection.....	72	Novastrip Tile Stripper.....	27
Bucket.....	29, 47	Hearing Protection.....	73, 74	Nuclear Barricade Tape.....	55
Bullard Hood.....	59	Heat Resistent glove bags.....	17	Nuclear Frock.....	9, 48, 63
Bullard PAPR.....	59	Heavy Weight Rainsuit.....	66	Nuclear Signs.....	54
Canister Vacuum.....	23	HEPA Vacuums.....	23, 45, 59	Omega Vacuum.....	45, 59
Carpet Adhesive Remover.....	3, 11, 51	Hood.....	75	Overshoes.....	74
Carpet Mask.....	45	Huck Towels.....	36	Paint Strippers.....	42, 43
Centrifugal Air Mover.....	36	IAQ 2000.....	34	PAPR.....	67
Chapin Sprayer.....	30	IAQ 2500.....	34	PAPR Assembly.....	76
Chill-its Vest.....	57	IAQ 6000.....	35	PCM Cassettes.....	25
Comfortwear.....	6, 31, 38, 49, 60				
Cooling Vest.....	57				

Peel Away Neutralizer	43	String Knit Gloves	73
Peel Away Products	43	String Lights	78
Penewet	22		
Personal Pump.....	24	Tacky Mats	45, 57
Pheonix Centrifugal Air Mover.....	36	TEM Cassettes	25
Pigtail	78	Tile Remover.....	28
Pirahna 4	42	Tile Scraper	28, 29, 37, 46
Pirahna 8	42	Tile Strippers	27
Poles	44	Tin Snips.....	29, 37, 46
Poly Sheeting	14	Towels	15, 36, 56
Portable Shower.....	23, 24	Trelawney Scales.....	28
Post.....	55	Tri/Mon Manometer.....	26
Powered Air Purifying Respirator.....	67	Turbo Weights	28
Pump Kits	24	Tychem Hood.....	59
Push Broom	29, 37, 46	Tychem SL	65
Putty Knife.....	29, 37, 46	Tyvek Suits	65
		Tyvek Boots	74
Q-Stik Shoe Covers	7, 32, 39, 50, 56, 61		
QTPro Ductape	10, 13, 41, 53	ULPA Vacuum	58
Quantumwear.....	8, 9, 33, 40, 47, 48, 62, 63	Unisex Scrubs.....	58
Quest Protective Apparel®.....	6, 31, 38, 47, 60	Utility Knife	29, 37, 46
Questape®	10, 13, 41, 53		
Questik® Spray Adhesive	4, 12, 52	Vacuums	23, 45, 58, 59
Rad Bags	57	Weights.....	28
Radchain Post.....	55	Wetting Agent.....	22
Radiation Tape	55	Wipers.....	45
Radrope	55	Wire Brush	29, 37, 46
Rags15		Woven Bags	15
Rainsuit	66	Wypall X60 Wipers	45
Razor.....	29, 37, 46		
Replacement Blades	29, 46	Zipper Doorway System.....	44
Respirator.....	44, 67, 68	ZipWall Doorway System	44
Respirator Cartridges	69-71		
Rubber Squeegee.....	29		
Safety Glasses	72		
Scaler Accessory Kit	28		
Scalers.....	28		
Scraper Blade.....	29		
Scrub Pads.....	29, 37, 46		
Scrubs.....	58		
Shockwave	34		
Shoe Covers	7, 32, 39, 50, 56, 61		
Shower Towels.....	56		
Snail blowers	36		
Sponges.....	29, 37, 46		
Sprayer	30		
Squeegee	29		
Standard Blower	36		
Stapler.....	29, 46		
Staples	29, 46		
Sticky Mats	45, 57		



Triangle

To find the number of square feet in any shape triangle or three-sided surface, multiply the height by the width and divide the total by 2.




$$\begin{array}{r} 40 \text{ height} \\ \times 50 \text{ width} \\ \hline 2000 \text{ sq. ft.} \end{array} \quad 2 \overline{) 2000 \text{ sq. ft.}} = 1000 \text{ sq. ft.}$$

Square

Multiply the base measurement in feet times the height in feet.


$$\begin{array}{r} 40 \\ \times 40 \\ \hline 1600 \text{ sq. ft.} \end{array}$$



Rectangle

Multiply the base measurement times the height.


$$\begin{array}{r} 20 \\ \times 40 \\ \hline 800 \text{ sq. ft.} \end{array}$$



Cylinder

When the circumference (distance around the cylinder) is known, multiply height by circumference.

$$\begin{array}{r} 157 \text{ circumference} \\ \times 100 \text{ height} \\ \hline 15,700 \text{ sq. ft.} \end{array}$$



When diameter (distance across) is known, multiply diameter by 3.1416. This gives circumference. Then multiply by height.

$$\begin{array}{r} 3.1416 \\ \times 50 \text{ diameter} \\ \hline 157.0800 \text{ feet} \end{array} \quad \begin{array}{r} 157 \text{ circumference} \\ \times 100 \text{ height} \\ \hline 15,700 \text{ sq. ft.} \end{array}$$

Note: Figures do not include end area. See circle.


Downspouts and Gutters

Measure the circumference in inches. To figure square feet, divide the circumference by 12 and multiply by total length in feet. Double this figure if the inside is to be painted.

Sphere

To find the number of square feet of a sphere or ball, multiply the diameter (distance across) by itself and then multiply this total by 3.1416. If you do not have the diameter, you can find it by measuring the circumference and multiplying it by .31831.

$$\begin{array}{r} 50 \text{ diameter} \\ \times 50 \text{ diameter} \\ \hline 2500 \text{ feet} \end{array} \quad \begin{array}{r} 2500 \\ \times 3.1416 \\ \hline 7854.0000 \text{ sq. ft.} \end{array}$$



HOW TO FIND SURFACE AREAS OF SPHERES


Diameter in Feet	*Surface of Sphere in Ft ²	Diameter in Feet	*Surface of Sphere in Ft ²
20	1,257	45	6,362
25	1,963	50	7,854
30	2,827	55	9,503
35	3,848	60	11,310
40	5,027	65	13,273
		70	15,394

*Outside surface area only-double surface area for inside and outside.

Circle


To find the number of square feet in a circle, multiply the diameter (distance across) by itself, then multiply this total by .7854.

$$\begin{array}{r} 50 \text{ diameter} \\ \times 50 \text{ diameter} \\ \hline 2500 \text{ feet} \end{array} \quad \begin{array}{r} 2500 \\ \times .7854 \\ \hline 1969 \text{ sq. ft.} \end{array}$$



Chain Link Fences

Figure the square foot area as a solid and double it to allow for both sides. This will be fairly accurate since overspray must be considered.



Picket Fence

Multiply the height by the length and multiply the result by 4.

Walls

When figuring the square foot area, openings of less than 100 square feet should not be deducted.

Stacks

To compute the square foot area of a stack, multiply height (B) by the average diameter (A) and multiply that total by 3.1416.

Example:


Diameter of stack at the top - 5 ft.

Diameter of stack at the bottom - 15 ft.


Average diameter = 10 ft.

Height - 60 ft.


$60 \times 10 = 600$. $600 \times 3.1416 = 1885 \text{ ft}^2$ of surface area.

**IRREGULAR SHAPES****Corrugated Metals**


2 1/2 Corrugated Sheet - To find width before corrugation multiply the width after corrugation by 1.08. Assume depth to be 5/8.




1 1/4 Corrugated Sheet - To find width before corrugation multiply width after corrugation by 1.11. Assume depth to be 3/8.

**Roof Deck**

If the roof deck has a cross section view similar to that shown, first figure the square foot area, then multiply by 2.42 to obtain the actual surface area.



If the roof deck has a cross section similar to that shown, figure the top side as just the square foot area of surface. Figure the underside as follows:



- A. For each sq. ft. area, multiply by 1.63 for actual surface. (A) 4 1/2
- B. Multiply by 1.75. (B) 6
- C. Multiply by 1.92. (C) 8

Elevated Water Tanks			
Capacity (1000 Gal.)	Riser (Diameter)	Inside Area (Ft ²)	Outside Area* (Ft ²)
50	4	3150	6500
100	4	4300	8000
150	4	5100	9900
200	4	5900	11,100
250	4	6700	12,700
500	5	10,000	19,600
750	Dry 8	13,600	29,100
1000	Dry 8	17,000	36,900

+ Includes supporting columns.
* Low Water Level 100 Ft. above grade.
The above chart is applicable to the tanks shown below.

In estimating the square foot area of different tanks, use the following examples:


1. To find the end areas of a tank: Multiply the square of the diameter by .7854.

2. To find the circumference of the tank: Multiply the diameter by 3.1416.


3. To find the area of the walls of the tank: Multiply the height by the circumference.

Example: Suppose the tank is 30 ft. across and 50 ft. high. The square of the diameter then is 900 ft. (30 x 30), which when multiplied by .7854 shows 706.9 sq. ft. at the top of the tank. The diameter of 30 ft. multiplied by 3.1416 shows that the tank is 94.3 ft. around. The circumference of 94.3 multiplied by the height of 50 ft. equals 4,715 sq. ft. - area of the wall. Total area is approximately 5,425 sq. ft.

Note: Any accessories such as piping, valves, rails, structural work, etc., should be estimated separately.

**Siding**


If the siding has a cross-section view similar to that shown, multiply each square foot of area by 1.5 for actual surface area. Double for both sides.



If siding has a cross-section view similar to that shown, multiply each square foot of area by 1.42 for actual surface area. Double for both sides.




If siding has a cross-section view similar to that shown, multiply each square foot of area by 1.75 for actual surface area. Double for both sides. If the depth is 3 multiply by 1.5. Double for both sides.




Open Web Steel Joists


On all repaint work by spray, manufacturers recommend the paint be estimated by treating the surface area of the joist as a solid rather than an open web. Double for both sides.



ANGLES



CHANNELS




AREA ESTIMATING CHANNELS

W x H (In.)	ft ² /Ton	W x H (In.)	ft ² /Ton
3 x 4	468	8 x 18	230
3 x 6	347	10 x 15	335
4 x 5	440	10 x 25	210
4 x 7	350	10 x 30	178
5 x 9	325	12 x 21	290
6 x 8	400	12 x 25	240
6 x 13	263	12 x 30	203
7 x 10	385	15 x 34	214
7 x 15	250	15 x 40	183
8 x 12	360	15 x 50	150


AREA ESTIMATING ANGLES

L x W (In.)	T (In.)	ft ² /Ton	L x W (In.)	T (In.)	ft ² /Ton
1 x 1	1/8	825	2 1/2 x 2 1/2	1/2	216
1 x 1	1/4	443	3 x 3	1/4	408
1 1/2 x 1 1/2	1/8	813	3 x 3	3/8	278
1 1/2 x 1 1/2	1/4	427	3 x 3	1/2	213
2 x 2	1/8	812	4 x 4	1/4	403
2 x 2	1/4	420	4 x 4	3/8	271
2 x 2	3/8	285	4 x 4	1/2	208
2 1/2 x 2 1/2	1/4	405	5 x 5	1/2	206
2 1/2 x 2 1/2	3/8	281	6 x 6	1/2	204

I-BEAMS



TEES



AREA ESTIMATING TEES

Flange x Web (In.)	ft ² /Ton	Flange x Web (In.)	ft ² /Ton
2 x 4.75	337	9 x 48	145
3 x 6.25	340	12 x 30	205
4 x 12	236	12 x 48	150
5 x 12	250	13 x 60	135
6 x 18	212	15 x 50	170
6 x 25	153	15 x 66	130
9 x 18	283	18 x 67	145
9 x 30	185	18 x 80	125

AREA ESTIMATING I-BEAMS

Flange x Web (In.)	ft ² /Ton	Flange x Web (In.)	ft ² /Ton
4 x 13	310	12 x 36	236
6 x 12	388	12 x 99	125
6 x 25	248	14 x 22	360
8 x 10	530	14 x 48	206
8 x 28	250	14 x 96	150
8 x 58	145	16 x 26	340
10 x 15	400	16 x 50	204
10 x 33	260	16 x 96	137
10 x 66	154	18 x 40	249
10 x 100	106	18 x 64	184
12 x 14	473	18 x 96	145

CONVERSION FACTORS

Unless designated otherwise, the English measures of capacity are those used in the United States, and the units of weight and mass are avordupois units.

The word gallon, used in any conversion factor, designates the U.S. gallon. To convert into the Imperial gallon, multiply the U.S. gallon by 0.83267. Likewise, the word ton designates a short ton, 2,000 pounds.

The figures 10^{-1} , 10^{-2} , 10^{-3} , etc. denote 0.1, 0.01, 0.001, etc. respectively.

The figures 10^1 , 10^2 , 10^3 , etc. denote 10, 100, 1000, etc. respectively.

In the conversion factors given below using the properties of water, calculations are based on water at 39.2°F in vacuum, weighing 62.427 pounds per cubic foot, or 8.345 pounds per U.S. gallon. Water freezes at 32°F, and is at its maximum density at 39.2°F.

Parts per Million, designated as PPM, is always by weight. As used in the sanitary field, PPM represents the number of pounds of dry solids contained in one million pounds of water, including solids. In this field, one part per million may be expressed as 8.345 pounds of dry solids to one million U.S. gallons of water.

MULTIPLY	BY	TO OBTAIN	MULTIPLY	BY	TO OBTAIN
Acres	43,560	Square feet	Cubic Meters	61.023	Cubic inches
	4,047	Square meters		1.308	Cubic yards
Acre-feet	43,560	Cubic feet		264.2	Gallons
	325,851	Gallons		10^3	Liters
	1233.49	Cubic meters		2113	Pints (liquid)
				1057	Quarts (liquid)
Centimeters	0.3937	Inches	Cubic yards	7.646×10^5	Cubic centimeters
	0.01	Meters		27	Cubic feet
	10	Millimeters		46,656	Cubic inches
Cubic centimeters	3.531×10^{-5}	Cubic feet		0.7646	Cubic meters
	6.102×10^{-2}	Cubic inches		202.0	Gallons
	10^{-6}	Cubic meters		764.6	Liters
	2.642×10^{-4}	Gallons		1616	Pints (liquid)
	10^{-3}	Liters		807.9	Quarts (liquid)
	2.113×10^{-3}	Pints (liquid)	Feet	30.48	Centimeters
	1.057×10^{-3}	Quarts (liquid)		0.0348	Meters
Cubic feet	2.832×10^4	Cubic cms.	Gallons	3.785	Liters
	1728	Cubic inches		8	Pints (liquid)
	0.02832	Cubic meters		4	Quarts (liquid)
	0.03704	Cubic yards	Gallons, Imperial	1.20095	U.S. Gallons
	7.48052	Gallons			
	28.32	Liters	Gallons, U.S.	0.83267	Imperial Gallons
	59.84	Pints (liquid)			
	29.92	Quarts (liquid)	Gallons water	8.3453	Pounds of water
Cubic inches	16.39	Cubic centimeters	Grams	980.7	Dynes
	5.787×10^{-4}	Cubic feet		0.03527	Ounces
	1.639×10^{-5}	Cubic meters	Hectares	2.471	Acres
	2.143×10^{-5}	Cubic yards			
	4.329×10^{-3}	Gallons	Inches	2.540	Centimeters
	1.639×10^{-2}	Liters			
	0.03463	Pints (liquid)	Kilograms	2.205	Pounds
	0301732	Quarts (liquid)			
Cubic meters	10^6	Cubic centimeters	Kilometers	3281	Feet
	35.31	Cubic feet			



MULTIPLY	BY	TO OBTAIN	MULTIPLY	BY	TO OBTAIN
Kilometers	0.6214 1094	Miles Yards	Square feet	3.587×10^{-8}	Square miles
Liters	0.2642	Gallons	Square inches	6.452 6.944×10^{-3}	Square centimeters Square feet
Meters	3.281 39.37 1.094	Feet Inches Yards	Square kilometers	247.1 10.76×10^6 0.3861	Acres Square feet Square miles
Miles	5280 1.609	Feet Kilometers	Square meters	10.76 1.196	Square feet Square yards
Ounces (fluid)	1.805 0.02957	Cubic Inches Liters	Square miles	640 27.88×10^6 3.098×10^6	Acres Square feet Square meters
Pounds	16 256 0.0005 453.5924	Ounces Drams Tons (short) Grams	Square yards	2.066×10^{-4} 9 08361 3.228×10^{-7}	Acres Square feet Square meters Square miles
Quarts (liquid)	57.75	Cubic inches	Temp. (...C) 17.78	1.8	Temp. (...F)
Square centimeters	1.076×10^{-3} 0.1550	Square feet Square inches	Temp. (...F) 32	5/9	Temp. (...C)
Square feet	2.296×10^{-5} 144 0.09290	Acre Square inches Square meters	Yards	91.44 3 36 0.9144	Centimeters Feet Inches Meters





Confidential Credit Application

Quest Safety Products, Inc. - 1414 S West St. Indianapolis, IN 46225 - (317)594-4500

BUSINESS CONTACT INFORMATION

Date:

Company name:

Phone:

Fax:

E-mail:

Registered company address:

City:

State:

ZIP Code:

Date business commenced:

Sole proprietorship:

Partnership:

Corporation:

Other:

BUSINESS AND CREDIT INFORMATION

Primary business address:

City:

State:

ZIP Code:

How long at current address?

Telephone:

Fax:

E-mail:

Bank name:

Bank address:

Phone:

City:

State:

ZIP Code:

Type of account

Account number

Savings

☐

Checking

☐

Has the Firm or any Principal been subject to any petition under any provision of State or Federal Insolvency Laws? Yes ☐ No ☐

Has any Litigation been instituted against the company (attach details)? Yes ☐ No ☐

Are any of the company Assets pledged as collateral? Yes ☐ No ☐

Is this for a Credit Line? Yes ☐ No ☐

BUSINESS/TRADE REFERENCES

Company name:

Address:

City:

State:

ZIP Code:

Phone:

Fax:

E-mail:

Type of account:

Company name:

Address:

City:

State:

ZIP Code:

Phone:

Fax:

E-mail:

Type of account:

Company name:

Address:

City:

State:

ZIP Code:

Phone:

Fax:

E-mail:

Type of account:

APPLICANTS AUTHORIZATION AND AGREEMENT

Upon approval of this credit application, it is agreed that all purchases will be paid in full in accordance with the terms of sale as stated on Quest Environmental & Safety Products, Inc invoice. If payments are not received within said terms, it is understood that credit privileges may be withdrawn, and a finance charge of 1.5% per month, (18%annualized) may be charged. Quest is authorized To make inquiries regarding the credit worthiness of our company. In the event of any dispute, the laws of the State of Indiana shall govern the terms and conditions of this extension of credit. If this account must go to a collection agency or court to receive a payment, this account will pay all collection, legal and court costs above amount owed. A personal guaranty is initiated by the authorized signature to insure payment.

SIGNATURES

Authorized Signature:

Print Name:

Company Name:

Title:

Date:

Please see other side to request product information



Information Request Form

Company Name

Phone #

Address (Line 1)

Cell Phone #

Address (Line 2)

Fax #

Contact Name

Email Address

Please check the following items you use and are interested in receiving more information about and fax to the number below.

Personal Protective Equipment

- ☐ Q-Gard[®] Comfortwear
- ☐ Q-Gard[®] Barrierwear[®]
- ☐ Tyvek[®] Suits
- ☐ Tychem[®] SL Suit
- ☐ Rainsuits
- ☐ Coveralls

- ☐ Half Facepiece Respirators
- ☐ Full Facepiece Respirators
- ☐ PAPR's
- ☐ Cartridges
- ☐ Hoods
- ☐ Specific Models _____

- ☐ Hard Hats
- ☐ Safety Glasses
- ☐ Gloves Type: _____
- ☐ Ear Plugs

- ☐ Q-Gard[®] Q-Stik[®] Shoe Covers
- ☐ Boot Covers
- ☐ Boots

Mastic Removers

- ☐ ATTACK![®] Low Odor
- ☐ ATTACK![®] 2000 No Odor
- ☐ ATTACK![®] Super Soy
- ☐ ATTACK![®] Super Off

- ☐ ATTACK![®] Citrus Degreaser
- ☐ Questik[®] Spray Adhesive

Glove Bags

- ☐ Avail[™] Glove Bags
- ☐ Avail[™] QuickTwist Horizontal Glove Bags
- ☐ Avail[™] QuickTwist Vertical Glove Bags
- ☐ Other _____

Questape[®] Ductape

- ☐ QTPro[™] 2" and 3"
- ☐ Q96 2" and 3"
- ☐ QT 2" and 3"

- ☐ Fiberlock[®] IAQ[®] Products
- ☐ Fiberlock[®] A-B-C[®]
- ☐ Fiberlock[®] L-B-C[®]
- ☐ Fiberlock[®] Piranha[®] Products

- ☐ Confined Space Air Monitors
- ☐ Negative Air Machines
- ☐ HEPA Filters
- ☐ Wet/Dry Vacuums
- ☐ Decontamination Systems

- ☐ Tile Removers
- ☐ Tile Scrapers

Electrical

- ☐ 3 Phase Distribution Panels
- ☐ Work Lights

- ☐ Sprayers
- ☐ Absorbants

Fax to: 317.594.4501



Quest
Protective
Apparel

QPA designs quality products that provide a high degree of fluid and particulate hold out designed to offer superior personal protection.

QPA Garments Incorporate Real World Design Elements Which Means They Are Manufactured With Worker Comfort, Safety And Productivity In Mind. Critical Design Elements Include:

- Additional Material In The Shoulders, Crotch, And Seat.
- 10-12 Stitches Per Inch For Increased Seam Strength
- Elastic In Back Of Garment For Superior Fit And Fewer Product SKU

Our Customer-Focused Approach Is Based On A Simple Concept, Application-Driven Innovation. Our Job Begins With Understanding The Customer's Needs, And Then Building Products Around Those Needs.

Q-Gard® Quantumwear®:

Developed with end users and incorporating patent-pending design elements, key features include reinforced elbows and knees, adjustable neck closure, and dosimeter straps that can be employed in doffing the garment to reduce recordable exposures to contaminants.

Q-Gard® Comfortwear®:

Designed with more water hold out, this garment is perfect for light water splash environments and is more than two times as breathable compared to leading brands. For messy jobs, this suit will have you covered.

Q-Stik® Shoe Covers:

Incorporating a revolutionary coating that prevents slipping on virtually any surface, this product is perfect for any application from pharmaceuticals to house calls.

We are committed to developing application driven solutions to meet your safety and environmental needs on time, every time.



For more information on sizes and availability, contact your QPA representative.

Superior Comfort • Superior Design • Superior Protection • Better Value

Key Partners

Quest Safety Products, Inc.

