

DEWALT



PROTECTIVEGEAR

**HIGH VISIBILITY / PERFORMANCE GEAR**

CLASS 2 VESTS	2
CLASS 2 T-SHIRTS	3
PERFORMANCE SHIRTS	3

COLD WEATHER GEAR

HEATED JACKETS	6
WOMEN'S HEATED JACKET	6
HEATED HOODIES	6
HIGH VISIBILITY	7
COLD WEATHER GLOVES.....	9

WORK GLOVES

COLD WEATHER GLOVES.....	9
COATED GRIPPER.....	10
CUT RESISTANT	10
LEATHER.....	11
SPLIT LEATHER.....	11
PERFORMANCE WORK	12

PROTECTIVE EYEWEAR

PREMIUM.....	16
PERFORMANCE.....	18
SPECIALTY	19
EYEWEAR CASE	18

HEARING / HEAD PROTECTION

FOAM EARPLUGS.....	14
EARMUFFS	14
HARD HATS.....	14

MERCHANDISING DISPLAYS

FLOOR, COUNTER & HANGING DISPLAYS ..	20
--------------------------------------	----

When you're determined to get the job done, reach for DEWALT GEAR. Your needs inspire us to seek engineering and design excellence. Quality checks, testing and attention to detail define GUARANTEED TOUGH. We're driven to innovate and pioneer solutions to tough worker demands.

ANSI/ISEA 107-2015 STANDARD:

The American National Standard for High-Visibility Safety Apparel is a standard established by American National Standards Institute, Inc (ANSI) and the International Safety Equipment Association (ISEA). Numerous workers, including construction, utility, police, emergency medical services, fire fighters, road workers, flaggers, and airport ramp workers are routinely exposed to the hazards of low visibility while on the job. This standard provides guidelines for the selection and use of high-visibility safety vests to improve worker visibility during the day, in low-light conditions and at night.

ANSI 107-2015 VISIBILITY REQUIREMENTS:

Type R, Class 2:

- For workers who require greater visibility under inclement weather conditions.
- When work backgrounds are complex.
- When tasks divert attention from approaching vehicle traffic.



Applications:

Roadway Construction, General Construction, Utility Workers, Mechanical Construction, Municipalities, and Railroad Workers

Type R, Class 2 Minimum Requirements:

Background Fabric	775 Square Inches
Reflective Material	201 Square Inches
Minimum Reflective Width	1.375 Inches

FR OVERVIEW:

ASTM F1506 Inherently Flame Retardant Material:

Standard Performance Specification for:

- Apparel for use by Electrical Workers exposed to momentary electric arc and related thermal hazards.



ASTM F1506 uses vertical flame test ASTM D6413 to determine flammability.

- Fabric must self extinguish in less than 2 seconds after flame has been removed.
- Char length must be less than 6 inches.
- No melting or dripping can be observed.

ASTM F1506 was developed for fabric intended for NFPA 70E standards and applications requiring arc rating greater than 4.0 cal.

NFPA 70E HRC Hazard Risk Category Levels:

HRC level is determined by the minimum amount of calories per square centimeter (ATPV or Cal/cm²) a treated garment must pass through with a 50% probability of a 2nd or 3rd degree burn occurring, thus the protective level of the treated clothing. The higher the ATPV, the higher the HRC level attained, the greater the protection.



Hazard Risk Category	Common FR clothing at this level	Min ATPV(Cal/cm ²)
HRC 1	FR shirt and FR pants; Or FR coveralls; Single base layer of FR protection	4
HRC 2	FR under garments (undershirt, underwear), FR shirt, and FR pants; FR under garments, FR coveralls; 2 or more layers of FR protection	8

DSV221

CONTRASTING TRIM ECONOMY MESH VEST

Part Number: DSV221-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

TYPE	CLASS	
R	2	
ANSI 107-2015		

- Zipper Closure
- Single Mic Tab at Right Shoulder
- 2" Sewn on Reflective Tape
- 3" Contrasting Black Trim Detail
- Single Horizontal & Two Vertical Stripes
- Left Side Inner Chest Pocket
- Durable Stitch Reinforcement at Major Stress Points



DSV421

ADJUSTABLE BREAKAWAY MESH VEST

Part Number: DSV421-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

TYPE	CLASS		
R	2		
ANSI 107-2015			

- Patented Zip-N-Rip™ Front Closure
- Drop Shoulder 5 Point Breakaway System
- Dual Mic Tabs at Shoulders
- 2" Premium Reflective Tape with 3" Contrasting Black Trim Detail
- Left Side Inner Chest Pocket
- Durable Stitch Reinforcement



DSV521

HEAVY DUTY SURVEYOR VEST

Part Number: DSV521-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

TYPE	CLASS		
R	2		
ANSI 107-2015			

- Zipper Closure
- Dual Mic Tabs at Shoulders
- 2" Parallel Heat Transfer Segmented Tape
- 3" Contrasting Black Trim Detail
- Pockets: 1 - 3D Radio Pocket with Clear ID Holder, 1 - Segmented Chest Pencil Pocket, 2 - Lower Front Pockets, 2 - Inside Open Tablet Sized Pockets, Full Back Plans Pocket
- Rear D-Ring Pass Through
- Tether & Flagging Tape Grommets
- 1" Heavy Webbing Reinforcement
- Durable Stitch Reinforcement at Major Stress Points



DSV621

STANDARD SURVEYOR VEST

Part Number: DSV621-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

TYPE	CLASS		
R	2		
ANSI 107-2015			

- Zipper Closure
- Dual Mic Tabs at Shoulders
- Material: Solid Front, Mesh Back
- 2" Parallel Heat Transfer Segmented Tape
- 3" Contrasting Black Trim Detail
- Single Horizontal & Two Vertical Stripes
- Pockets: 1 - 3D Radio Pocket with Clear ID Holder, 1 - Segmented Chest Pencil Pocket, 2 - Lower Front Pockets, 2 - Inside Open Pockets
- Rear D-Ring Pass Through
- Durable Stitch Reinforcement at Major Stress Points



DSV220

ECONOMY MESH VEST

Part Number: DSV220-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

- Zipper Closure
- Single Mic Tab at Right Shoulder
- 2" Sewn on Reflective Tape
- Single Horizontal & Two Vertical Stripes
- Left Side Inner Chest Pocket
- Durable Stitch Reinforcement at Major Stress Points



TYPE	CLASS	
R	2	BREATHABLE MESH MATERIAL
ANSI 107-2015		

DST11B

MOISTURE WICKING MESH T-SHIRT

Part Number: DST11-2PGB-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

- 2" Stretch Parallel Segmented Tape
- Single Horizontal & Two Vertical Stripes
- Pockets: 1 Left Chest
- 100% Polyester Moisture Wicking Mesh
- Upper Shoulder and Lower Front Black Color Accents



TYPE	CLASS	
R	2	MAX-DRI™ MOISTURE WICKING SOCK EVAPORATION TECHNOLOGY
ANSI 107-2015		



DST911 / DST921



FR T-SHIRTS

Part Numbers: DST911-(size) / DST921-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

- Jersey Knit Modacrylic Cotton Poly Blend
- 2" 3M® 5535 Scotchlite™
- FR Segmented Reflective Tape
- 3" Contrasting Black Trim Detail
- Garment Background & Reflective Material Certified to ANSI 107-2015
- Retro Reflective Material Certified to ANSI 107-2015 Level 2
- ARC Rating 10.0 Cal/CM2



DST911



DST921

TYPE	CLASS	
R	2	FR
ANSI 107-2015		
ASTM F1506 HIGHLY FLAME RESISTANT MATERIAL		
ScotchLite Reflective Material SEGMENTED TAPE PATTERN		
2 HRC		

DSV971



FR MESH VEST WITH CONTRASTING TRIM

Part Number: DSV971-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X

- Zipper Closure
- Dual Mic Tabs at Shoulder
- 2" 3M® 5535 Scotchlite™ FR Segmented Reflective Tape
- 3" Contrasting Black Trim Detail
- Pockets: 1 Left Chest, 1 Lower Right
- Rear D-Ring Pass Through
- Garment Background & Reflective Material Certified to ANSI 107-2015
- Retro Reflective Material Certified to ANSI 107-2015 Level 2



TYPE	CLASS	
R	2	FR
ANSI 107-2015		
ASTM F1506 HIGHLY FLAME RESISTANT MATERIAL		
ScotchLite Reflective Material SEGMENTED TAPE PATTERN		
BREATHABLE MESH MATERIAL		
1 HRC		

DST11-NPGB

TWO-TONE PERFORMANCE T-SHIRT

Part Number: DST11-NPGB-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X



- 100% Polyester Moisture Wicking Mesh
- 40 UPF Sun Protecting Fabric
- Side Panel and Under Arm Black Color Accents
- Anti-Microbial Material



DST21-NPGB

TWO-TONE PERFORMANCE T-SHIRT

Part Number: DST21-NPGB-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X



- 100% Polyester Moisture Wicking Mesh
- 40 UPF Sun Protecting Fabric
- Side Panel and Under Arm Black Color Accents
- 1 Left Sleeve Segmented Pencil Pocket
- Anti-Microbial Material



DST11-NPBB

TWO-TONE PERFORMANCE T-SHIRT

Part Number: DST11-NPBB-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X



- 100% Polyester Moisture Wicking Mesh
- 40 UPF Sun Protecting Fabric
- Side Panel and Under Arm Gray Color Accents
- Anti-Microbial Material



DST21-NPBB

TWO-TONE PERFORMANCE T-SHIRT

Part Number: DST21-NPBB-(size)

Sizes: M, L, XL, 2X, 3X, 4X, 5X



- 100% Polyester Moisture Wicking Mesh
- 40 UPF Sun Protecting Fabric
- Side Panel and Under Arm Gray Color Accents
- 1 Left Sleeve Segmented Pencil Pocket
- Anti-Microbial Material





3 HEAT ZONES




4 HEAT ZONES

UP TO 4-CORE HEATING ZONES



HOURS OF BODY WARMTH

DEWALT 20V MAX* AND 12V MAX* BATTERIES CAN PROVIDE HOURS OF CORE BODY WARMTH AND CONTINUOUS HEAT**



+PRE-HEAT

LED CONTROLLER OFFERS 3 TEMPERATURE SETTINGS WITH PRE-HEAT FUNCTION



WIND RESISTANT



WIND + WATER RESISTANT

DURABLE WIND RESISTANT OUTER SHELL. SELECT STYLES ARE ALSO WATER RESISTANT.



2 USB CHARGING PORTS

2 USB POWER PORTS FOR CHARGING PORTABLE ELECTRONICS

USB POWER SOURCE IS COMPATIBLE WITH ALL DEWALT 20V MAX* OR 12V MAX* BATTERIES



ANSI / ISEA 107 CLASS 3

ANSI/ISEA 107-2015 CLASS 3:
Background Fabric: 1240 Square Inches;
Reflective Material: 310 Square Inches;
Minimum Reflective Width: 2 Inch



FUEL GAUGE

INCLUDES BATTERY FUEL GAUGE



Powered by 20V MAX* or 12V MAX* batteries, DEWALT HEATED JACKETS provide hours of warmth and comfort when the temperature dips. Constructed from heavy-duty materials, these jackets stand up to tough jobsite conditions and are stylish enough to wear around town.

* With respect to 20V MAX*, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

* With respect to 12V MAX*, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.

**Actual run time varies depending on battery type and heat setting

DCHJ060

Available in sizes S-3XL

SOFT SHELL WORK JACKET

DCHJ060C1: Includes DCHJ060 Heated Jacket, DCB201 20V MAX* Lithium-Ion Battery (1.5 Ah), Charger and DCB091 Dual USB Port Battery Adapter



DCHJ060B: Includes DCHJ060 Heated Jacket and DCB091 Dual USB Port Battery Adapter

- Water and wind resistant, soft poly blend outer shell
- 4 core heating zones; upper left and right chest, mid-back, and collar
- Dual USB Port Battery Adapter includes battery fuel gauge, and 2 USB power ports for charging portable electronics
- Expands for DeWALT XR 4.0 Ah battery pack
- LED controller offers 3 temperature settings (high, medium, low) with pre-heat function
- Adjustable waistline and sleeve
- 4 Pockets: L&R waist, Outer chest, inner left chest



ADDITIONAL STYLES COMING MARCH 2017

DCHVL10

Available in sizes XS-2XL

INSULATED SHELL WITH THERMAL FLEECE LINING

DCHVL10C1: Includes DCHVL10 Heated Vest, DCB201 20V MAX* Lithium-Ion Battery (1.5 Ah), Charger and DCB091 Dual USB Port Battery Adapter



DCHVL10B: Includes DCHVL10 Heated Vest and DCB091 Dual USB Port Battery Adapter

- Up to 7 Hours of runtime on low setting using the 20V MAX* compact 1.5 Ah battery
- 3 core heating zones which include L&R chest and mid-back
- Power button and temperature control offers 3 settings (low, med, high with pre-heat function)
- Premium 20V MAX* batteries stored in an efficient battery pocket
- USB power adapter with 2 USB power ports
- Extension allows placement in front or back pocket
- Robust Metal Zipper with Wind Guard
- Battery pocket expands for DEWALT XR 4.0 Ah battery packs
- 2 total pockets: L&R waist



DCHJ066

Available in sizes XS-2XL

WOMEN'S HOODED JACKET

DCHJ066C1: Includes DCHJ066 Heated Jacket, DCB201 20V MAX* Lithium-Ion Battery (1.5 Ah), Charger and DCB091 Dual USB Port Battery Adapter



- Water and wind resistant, soft polyester blend outer shell
- 4 core heating zones; L&R chest, collar and mid-back
- Dual USB Port Battery Adapter includes battery fuel gauge, and 2 USB power ports for charging portable electronics
- Expands for DeWALT XR 4.0 Ah battery pack
- LED controller offers 3 temperature settings (high, medium, low) with pre-heat function
- 4 Pockets: Back, L&R waist, Inside chest cell phone pocket designed to allow phone charging off battery
- Removable, adjustable hood
- Zipper wind guard



DCHJ067

Available in sizes S-3XL

BLACK HEATED HOODIE (20V/12V MAX*)

DCHJ067B: Includes DCHJ067 Heated Hoodie and DCB091 Dual USB Port Battery Adapter



- Durable wind resistant cotton/polyester outer shell
- Built-in hood and collar with adjustable drawstrings
- Reinforced stitching on cuffs
- Zipper wind guard
- 3 core heating zones; upper left & right chest and mid-back
- LED controller offers 3 temperature settings (high, medium, low) with pre-heat function
- Dual USB Port Battery Adapter includes battery fuel gauge, and 2 USB power ports for charging portable electronics



DCHJ068

Available in sizes S-3XL

GRAY HEATED HOODIE (20V/12V MAX*)

DCHJ068B: Includes DCHJ068 Heated Hoodie and DCB091 Dual USB Port Battery Adapter



- Durable wind resistant cotton/polyester outer shell
- Built-in hood and collar with adjustable drawstrings
- Reinforced stitching on cuffs
- 3 core heating zones; L&R chest and mid-back
- LED controller offers 3 temperature settings (high, medium, low) with pre-heat function
- Dual USB Port Battery Adapter includes battery fuel gauge, and 2 USB power ports for charging portable electronics
- Expands for DEWALT XR 4.0 Ah battery pack



DCHJ069

Available in sizes S-3XL

BLUE HEATED HOODIE (20V/12V MAX*)

DCHJ069C1: Includes DCHJ069 Heated Hoodie, DCB201 20V MAX* Lithium-Ion Battery (1.5 Ah), Charger and DCB091 Dual USB Port Battery Adapter



DCHJ069B: Includes DCHJ069 Heated Hoodie and DCB091 Dual USB Port Battery Adapter

- Durable wind resistant cotton/polyester outer shell
- Built-in hood and collar with adjustable drawstrings
- Reinforced stitching on cuffs
- 3 core heating zones; L&R chest and mid-back
- LED controller offers 3 temperature settings (high, medium, low) with pre-heat function
- Dual USB Port Battery Adapter includes battery fuel gauge, and 2 USB power ports for charging portable electronics
- Expands for DEWALT XR 4.0 Ah battery pack
- 3 Pockets: L&R waist and cell phone pocket



DEWALT has always had the toughest tools to help you get the job done. DEWALT Work Gloves help get the job done in comfort while protecting your hands. Whatever the demand, DEWALT Performance Work Gloves are designed to meet it.

HAND PROTECTION**HANDTOOLS**

The fit and comfort of these gloves help protect your hands while maintaining tool control.

**CUTLEVEL**

These gloves offer varying levels of cut protection.

**ULTRADEX**

These gloves offer a high level of dexterity for jobs demanding precise control.

**IMPACT**

TPR absorbs impact to help protect hands while providing a secure grip and tool control.

**TACKYGRIP**

Silicone tacky palm overlays help maintain secure grip

**COLDGEAR**

Keep your hands protected in cold conditions while still maintaining grip necessary to handle tools.

**MECHANIC**

These gloves offer protection from incidental impact, while providing good tool grip.

**ABRASION**

These gloves provide abrasion protection to extend durability and wear life.

**ANTI-VIBE**

These gloves provide a barrier of insulation between rapid vibration tools and your hands.

DPG737

2-in-1 CWS™ Thermal Gripper

Wicking Nylon Outer Shell

Acrylic Thermal Liner

Microfoam ¾ Dip and Palm



PART NUMBER	SIZE
DPG737M	Medium
DPG737L	Large
DPG737XL	X-Large

DPG736

Thermal Gripper

¾ Foam Latex Dip Coverage

Acrylic, Breathable Knit Shell

Brushed Liner

Pre-Curved Ergonomic Design

EN388:2003

	2 - Abrasion
	2 - Cut
	1 - Tear
2 2 1 2	2 - Puncture



PART NUMBER	SIZE
DPG736L	Large
DPG736XL	X-Large

CAUTION
Product Contains Latex

DPG740

Mild Condition Fleece

Wind/Water Resistant Shell

Palm & Finger Overlays

Reinforced Thumb Saddle



PART NUMBER	SIZE
DPG740M	Medium
DPG740L	Large
DPG740XL	X-Large

DPG748

Extreme Condition Insulated

Water Resistant

Palm & Finger Overlays

Thermal Lined

Rubber Pull Tab



PART NUMBER	SIZE
DPG748L	Large
DPG748XL	X-Large

DPG750

Extreme Condition Insulated

Wind & Waterproof, Quad Layer, 100g Micro Fleece Liner

Extended Gauntlet Cuff with Hook & Loop Closure

Reinforced, Water and Oil Resistant PVC Palm Overlay

PU Coated Polyester Shell



PART NUMBER	SIZE
DPG750M	Medium
DPG750L	Large
DPG750XL	X-Large
DPG750XXL	XX-Large

DPG755

Harsh Condition Insulated

Thinsulate™ / Hipora® Liner

Dual Layer Thumb Saddle

Durable Outer Shell

Neoprene Pad & Wrist

Rubberized Grip Overlays



PART NUMBER	SIZE
DPG755L	Large
DPG755XL	X-Large

Thinsulate
INSULATION

DPG68

- Ultradex™ Dotted Nitrile Grip
- Raised Dot Nitrile Coating
- Breathable Poly Shell
- Elastic Cuff



PART NUMBER	SIZE
DPG68M	Medium
DPG68L	Large
DPG68XL	X-Large

DPG70

- Textured Rubber Grip
- Textured Rubber Palm
- Breathable Knit Back
- Ergonomic Design
- Seamless Fit



EN388:2003

	2 - Abrasion
	2 - Cut
	4 - Tear
	2 - Puncture

2 2 4 2

PART NUMBER	SIZE
DPG70M	Medium
DPG70L	Large
DPG70XL	X-Large

CAUTION: Product Contains Latex

DPG73

- Ultradex™ Smooth Nitrile Grip
- Smooth Nitrile Coating
- Breathable Poly Shell
- Elastic Cuff



RETAIL PACKAGING

PART NUMBER	SIZE
DPG73TL	Large (Tagged)
DPG73L-3PK	Large (3-Pack)

DOZEN BULK PACKS

PART NUMBER	SIZE
DPG73L	Large
DPG73XL	X-Large
DPG73XXL	2X-Large

DPG76

- Raised Nitrile Tread Grip
- Foam Nitrile Palm Coating
- Raised Nitrile Tread Grip
- Breathable Knit Back
- Ergonomic & Seamless Design



PART NUMBER	SIZE
DPG76L	Large
DPG76XL	X-Large

DPG78

- Impact Grip Hybrid
- Foam Latex Palm Grip
- Breathable 10ga Shell
- Secure Wrist Closure
- TPR Impact Guards (U.S. Patent No. 9,241,519)



PART NUMBER	SIZE
DPG78L	Large

CAUTION: Product Contains Latex

DPG805

- CUT5™ Cut Protection & Grip
- TekShell™ HPPE Cut Resistant Fiber
- GripTough™ Palm Dip
- Antimicrobial Coating



CUT 5
EN388 CUT LEVEL

CUT LEVEL **A3**

Meets ANSI/ISEA 105:2016 Cut Level A3

EN388:2003

	4 - Abrasion
	5 - Cut
	4 - Tear
	4 - Puncture

4 5 4 4

PART NUMBER	SIZE
DPG805M	Medium
DPG805L	Large
DPG805XL	X-Large



DPG31

Goatskin Driver

Durable Goatskin Leather

Elasticized Wrist

Keystone Thumb

ToughThread™
Double Stitching



PART NUMBER	SIZE
DPG31L	Large
DPG31XL	X-Large

DPG32

Premium Grade Leather Driver

Split Leather Palm Overlay

Elasticized Wrist

Keystone Thumb



PART NUMBER	SIZE
DPG32M	Medium
DPG32L	Large
DPG32XL	X-Large

DPG212

Performance Driver Hybrid

Rugged Reverse Leather Overlays

Premium Grade Cowhide Leather

Reinforced Thumb Saddle



2 - Abrasion
1 - Cut
2 - Tear
2 - Puncture



PART NUMBER	SIZE
DPG212M	Medium
DPG212L	Large
DPG212XL	X-Large

DPG216

Leather Performance Hybrid

Split Cowhide Leather Palm

Breathable Spandex Back

Reinforced Thumb Saddle



PART NUMBER	SIZE
DPG216L	Large
DPG216XL	X-Large

DPG222

High Dexterity Mechanic

Hi-Dex Nubuck Palm

Reinforced Fingers and Thumb

Rapidfit™ Slip-On Cuff



PART NUMBER	SIZE
DPG222L	Large
DPG222XL	X-Large

DPG41

Premium Split Leather Palm

Split Leather Knuckle Strap

2 ½" Rubberized Cuff

Double Leather Palm



PART NUMBER	SIZE
DPG41L	Large

DPG20

- All Purpose Utility
- ToughGrip™ Thumb Saddle
- Padded Palm & Knuckle
- Elastic Wrist Strap



PART NUMBER	SIZE
DPG20M	Medium
DPG20L	Large
DPG20XL	X-Large

DPG200

- All Purpose Synthetic
- Water/Oil Resistant Palm
- Durable Double Stitching
- UlnaLock™ Wrist



PART NUMBER	SIZE
DPG200M	Medium
DPG200L	Large
DPG200XL	X-Large
DPG200XXL	2X-Large

DPG217


- SecureFit™ General Utility
- Foam Padded Knuckle
- Rubberized Overlays
- SecureFit™ Wrist Closure



PART NUMBER	SIZE
DPG217M	Medium
DPG217L	Large
DPG217XL	X-Large

DPG218

- RapidFit™ General Purpose
- Reinforced Finger & Thumb
- Lightweight & Breathable
- Short Slip-On Cuff
- Foam Padded Knuckle




PART NUMBER	SIZE
DPG218M	Medium
DPG218L	Large
DPG218XL	X-Large

DPG870

- Hi-Viz Reflective
- Rubberized Grip Overlays
- High Visibility Green Back
- Silver Reflective Tape
- RapidFit™ Slip-On Cuff



PART NUMBER	SIZE
DPG870M	Medium
DPG870L	Large
DPG870XL	X-Large



DPG210

Heavy Utility

Memory Gel Padded Palm

Water/Oil Resistant PVC

Synthetic Fourchettes

UlnaLock™ Wrist



PART NUMBER	SIZE
DPG210M	Medium
DPG210L	Large
DPG210XL	X-Large

DPG230

Technician Fingerless

High-Dexterity Fingerless Design

Double Palm Overlay

Terry Cloth Brow Wipe

ToughThread™ Double Stitching



PART NUMBER	SIZE
DPG230M	Medium
DPG230L	Large
DPG230XL	X-Large

DPG250

Vibration Reducing Palm

Memory Gel Padding

Padded Knuckle Guard

Premium Leather Palm

ToughTanned™ Leather Palm



EN388:2003

	3 - Abrasion
	1 - Cut
	2 - Tear
	1 - Puncture

3 1 2 1

PART NUMBER	SIZE
DPG250M	Medium
DPG250L	Large
DPG250XL	X-Large
DPG250XXL	XX-Large

DPG780

Performance Mechanic Grip

Tacky Silicone Fingertip Grips

PVC Palm Grip Overlays

Leather Nail Guards

TPR Impact Guards
(U.S. Patent No. 9,241,519)




EN388:2003

	2 - Abrasion
	1 - Cut
	2 - Tear
	1 - Puncture

2 1 2 1

PART NUMBER	SIZE
DPG780M	Medium
DPG780L	Large
DPG780XL	X-Large



PERFORMANCEWORK

FOAM EARPLUGS

NRR 33

DISPOSABLE

- Comfortable Seal, Lightweight Foam
- Comfortable, Versatile Bell Shape
- PVC Dielectric Cord (corded version)



PART NUMBER	DESCRIPTION
DPG63BG50	Uncorded (Resealable bag of 50 pair)
DPG63TC5	Uncorded (Blister pack of 5 pair with carry case)
DPG65TC2	Corded (Blister pack of 2 pair with carry case)

INTERCEPTOR™

NRR 29

COMPACT FOLDING EARMUFF

- Lightweight, Folding Earmuff
- Comfortable Moisture Wicking Headband
- Adjustable, Padded Earcups

Compact Folding Feature
For easy storage



PART NUMBER	DESCRIPTION
DPG62-C	NRR29 Earmuff

CAP MOUNT

NRR 26

CAP MOUNT EARMUFF

- Universal Design
- Adjustable, Padded Earcups
- Fits Most Slotted Hard Hats



Cap Mount Interceptor and Hard Hat.

*Hard hat sold separately



PART NUMBER	DESCRIPTION
DPG66-D	Cap Mount Earmuff

INTERRUPTER™

NRR 23

LIGHTWEIGHT EARMUFF

- Soft, Foam Filled, Padded Earcups
- Lightweight, Durable Construction
- Adjustable, Padded Headband



PART NUMBER	DESCRIPTION
DPG64HC	NRR23 Earmuff

DIGITAL AM/FM

NRR 25

DIGITAL AM/FM HEARING PROTECTOR

- Digital AM/FM radio tuning with LCD display
- 8 radio station presets per band
- Cushioned, Adjustable Headband
- Use with any audio playing device (3.5mm Stereo Auxiliary Input Jack included)

NRR 25

2 (TWO) 1.5v AA batteries required (not included)



PART NUMBER	DESCRIPTION
DPG15	NRR 25 AM/FM

HARD HATS

- Ratchet Nylon Suspension
- Lightweight High Density Polyethylene
- Moisture Wicking Browband
- Universal Accessory Slots

Meets ANSI Z89.1-2009 Standard, Type I, Class G & E



Allows wearer to easily modify fit while wearing the hard hat.



PART NUMBER	COLOR
DPG11-Y	Yellow
DPG11-W	White

DEWALT has always had the toughest tools to help you get the job done. With DEWALT Protective Eyewear, now you can make sure that the toughest jobs are done safely. DEWALT Protective Eyewear is engineered for comfort, durability, and above all safety.

PROTECTIVE EYEWEAR



Z87.1 COMPLIANT
Complies with ANSI Z87.1 Standards.



UVA 99.9% UVB
Provides 99.9% UVA and UVB protection.



HC HARD COAT
All DEWALT Protective Eyewear has a scratch resistant hardcoat.



Z94.3 COMPLIANT
Complies with CSA Z94.3 Standards.



ADJUSTABLE ANGLE
Available with ratcheting temples.



ADJUSTABLE LENGTH
Available with telescoping temples.



AF ANTI FOG
Available with Anti-Fog coating.



FOAM LINED
Available foam lined.



BIFOCAL
Molded diopter in lens.



ADJUSTABLE NOSEPIECE
Adjustable nosepiece for custom, comfort fit

POLARIZED

Glare reducing polarized lens.

EXCAVATOR™

**AF
ANTI
FOG**

Lightweight Full Frame Design
Self-adjusting Secure Fit Rubber Nosepiece



PART NUMBER	LENS COLOR
DPG104-1	Clear
DPG104-11	Clear Anti-Fog
DPG104-2	Smoke
DPG104-9	Indoor/Outdoor

ROTEX®

**AF
ANTI
FOG**

Ultra Lightweight Frameless Design
Flexible Temples With Rubber Grips



PART NUMBER	LENS COLOR
DPG103-1	Clear
DPG103-11	Clear Anti-Fog
DPG103-2	Smoke
DPG103-9	Indoor/Outdoor

RECIP®

**ADJUSTABLE
ANGLE**

Ratcheting Temples with Rubber Tips
Soft, Adjustable Rubber Nosepiece



PART NUMBER	LENS COLOR
DPG102-1	Clear
DPG102-2	Smoke
DPG102-9	Indoor/Outdoor

AUGER™

Lightweight Full Frame Design
Soft Rubber Nosepiece & Temples



PART NUMBER	LENS COLOR
DPG101-1	Clear
DPG101-2	Smoke
DPG101-6	Silver Mirror
DPG101-9	Indoor/Outdoor

CROSSCUT™

Dual Injected Rubber Temples
Soft, Rubber Nosepiece



PART NUMBER	LENS COLOR
DPG100-1	Clear
DPG100-2	Smoke
DPG100-9	Indoor/Outdoor

GABLE™

Lightweight, Full Frame
Dual Mold Rubber Temples



PART NUMBER	LENS COLOR
DPG98-1	Clear
DPG98-2	Smoke
DPG98-6	Silver Mirror
DPG98-7	Blue Mirror
DPG98-9	Indoor/Outdoor
DPG98-Y	Yellow Mirror

ROUTER™



Slim, Lightweight Frame
Dual Mold Rubber Temples



PART NUMBER	LENS COLOR
DPG96-1	Clear
DPG96-11	Clear Anti-Fog
DPG96-2	Smoke
DPG96-6	Silver Mirror
DPG96-9	Indoor/Outdoor

DOMINATOR™

Full Frame With Larger Lens
Rubber Nosepiece & Temple Accents



PART NUMBER	LENS COLOR
DPG94-1	Clear
DPG94-2	Smoke
DPG94-6	Silver Mirror
DPG94-9	Indoor/Outdoor
DPG94-Y	Yellow Mirror
DPG94-GL	Brown Gradient

Gradient lens option for glare protection and visual clarity

REINFORCER™



Cushioned, Rubber Temple Pads
Soft, Rubber Nosepiece



PART NUMBER	LENS COLOR
DPG58-1	Clear
DPG58-11	Clear Anti-Fog
DPG58-2	Smoke
DPG58-6	Fire Mirror
DPG58-9	Indoor/Outdoor

RADIUS™



10 Base Curve Lens
Rubber-Tipped Temples



PART NUMBER	LENS COLOR
DPG51-1	Clear
DPG51-2	Smoke
DPG51-6	Silver Mirror
DPG51-9	Indoor/Outdoor

DC™



Dual Injected Rubber Temples
Cushioned Brow Protection



PART NUMBER	LENS COLOR
DPG55-1	Clear
DPG55-11	Clear Anti-Fog
DPG55-2	Smoke
DPG55-6	Silver Mirror
DPG55-9	Indoor/Outdoor
DPG55-LJR	Low IR

VENTILATOR™

Full Wraparound Frame
Secure Fit Rubber Tipped Temples



Black Frame

PART NUMBER	LENS COLOR
DPG56B-1	Clear
DPG56B-2	Smoke
DPG56B-9	Indoor/Outdoor
DPG56B-Y	Yellow Mirror



Silver Frame

PART NUMBER	LENS COLOR
DPG56-1	Clear
DPG56-2	Smoke
DPG56-7	Blue Mirror
DPG56-9	Indoor/Outdoor

PROTECTOR™



Ergonomic Lightweight Design
Rubber Tipped Temples



PART NUMBER	LENS COLOR
DPG54-1	Clear
DPG54-11	Clear Anti-Fog
DPG54-2	Smoke
DPG54-9	Indoor/Outdoor

CONTRACTOR PRO™



Rubber Tipped Temples
Soft, Rubber Nosepiece



PART NUMBER	LENS COLOR
DPG52-1	Clear
DPG52-11	Clear Anti-Fog
DPG52-2	Smoke
DPG52-6	Silver Mirror
DPG95-9	Indoor/Outdoor
DPG52-B	Light Blue

Light blue lens reduces glare from artificial light such as halogen and fluorescent.

STRUCTURE™

Extra Side Temple Coverage
Lightweight Frame



PART NUMBER	LENS COLOR
DPG93-1	Clear
DPG93-2	Smoke
DPG93-9	Indoor/Outdoor

EYEWEAR CASE

NYLON THERMOFORM CASE
Rigid Thermoform Shell
Convenient Hanging Clip



* Glasses sold separately.



PART NUMBER	DESCRIPTION
DPG02-NTC	Nylon Eyewear Case

PROTECTIVE EYEWEAR



CONVERTER™



Foam Shield™ Debris Protection

Double Duty™ Interchangeable Temples/Head Strap



Includes interchangeable head strap

PART NUMBER	LENS COLOR
DPG83-11	Clear Anti-Fog
DPG83-21	Smoke Anti-Fog
DPG83-91	V/O Anti-Fog



HDP™ POLARIZED

Dual Mold Rubber Temples

Soft Rubber Nosepiece

Includes Neck Cord & Microfiber Carrying Bag



PART NUMBER	LENS / FRAME
DPG99-2PC	Smoke Polarized Black Frame

FRAMEWORK™



Closed Cell Foam Lined Frame

Double Duty™ Interchangeable Temples/Head Strap



PART NUMBER	LENS COLOR
DPG95-1	Clear
DPG95-11	Clear Anti-Fog
DPG95-2	Smoke
DPG95-21	Smoke Anti-Fog

PART NUMBER	LENS COLOR
DPG95-9	Indoor/Outdoor
DPG95-LIRAF	Low IR Anti-Fog

REINFORCER™ RX



Magnification Diopter molded into lens

Cushioned, Rubber Temple Pads



Includes DPG02-13 sleeve

PART NUMBER	LENS COLOR	PART NUMBER	LENS COLOR
DPG59-110	Clear 1.0	DPG59-215	Smoke 1.5
DPG59-115	Clear 1.5	DPG59-220	Smoke 2.0
DPG59-120	Clear 2.0	DPG59-225	Smoke 2.5
DPG59-125	Clear 2.5		
DPG59-130	Clear 3.0		

Weakest	Weak	Mild	Strong	Strongest
1.0	1.5	2.0	2.5	3.0

CONCEALER™



Dual Injected Rubber Comfort Seal

Built-In Ventilation Channel



PART NUMBER	LENS COLOR
DPG82-11	Clear Anti-Fog
DPG82-21	Smoke Anti-Fog

GLOVE DISPLAYS

9525 - 24/48 Pair Convertable Glove Display

9531 - 96 Pair Glove Floor Display



9531 96-pair Display with 9540 (DEWALT HEADER)



Other displays

- 9574 Grid display
- 9575 Gridwall pegs



CONVERTS
One display
Two uses



9525
Countertop format
(holds 24 pairs)

9525
Wall format
(holds 48 pairs)

DUMPBINS

DB-DPG70
Holds 96 pair DPG70



DB-DPG740
Holds 48 pair DPG740



DB-DPG737
Holds 54 pair DPG737



DB-DPGHV
Varying amounts based on style
(Ask sales rep for details)



EYEWEAR CLAMS or BULK POLYBAG
Holds 42 pair clams
Holds 200 pair polybag



WING PANELS



9354-DPG (Wire)



9355-DPG (Corrugated)

CLIPSTRIPS



9066 Clipstrip

DPG63BG50-CS
4 pack clipstrip

EYEWEAR DISPLAYS

9522 - 36 Pair Spinning Counter Display

9667 - Wall Mounting Brackets for 9522

9523 - 12 Pair Spinning Counter Display



9523 12 pair



9667 Wall mounting brackets for 9522

9522 36 pair

QUARTER PALLET DISPLAY PROGRAM



Quarter Pallet Display

(Ask sales rep for ordering details)

Flexible, modular display.

Display comes with 3 trays.

Each tray holds 4-5 boxes of complete or bare kits.

Header explains key selling features of jackets & hoodies.

Made of sturdy corrugate to last through selling season.

*Product Sold Separately



DEWALT[®]

PROTECTIVE GEAR

DEALER STAMP

RADIANS, INC. • 5305 DISTRIPLEX FARMS DR. • MEMPHIS, TN 38141
TOLL FREE 877-723-4267 • WWW.RADIANS.COM

Copyright ©2017 DEWALT. DEWALT and GUARANTEED TOUGH[®] are registered trademarks of DEWALT Industrial Tool Co., used under license. All rights reserved. The yellow and black color scheme is a trademark for DEWALT Power Tools and Accessories. Trademark License: Radians, Inc., 877-723-4267, www.radians.com. A licensee of DEWALT Industrial Tool Co.

ICDWLPBR

5035_REV10 012417